


<b>Luminaire</b>						
Code 5486						
Name PUCK WALL ART LED						
<b>Measur.</b>						
Code						
Name 2700K CRI90						
Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency 100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical
Round Luminaire		Diam.	650 mm	Height	65 mm	
Round Luminous Area		Diam.	400 mm	Height	0 mm	
Horizontal Luminous Area		0.125664 m2		Emitting area on Plane 180°		0.000000 m2
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.030401 m2
Coordinate system		CG		Symmetry Type		Asymmetrical
Date		17-07-2019		Maximum Gamma Angle		180
Measurement Distance		6.44		Measurement Flux		1024.92 lm
Operator		ASSELUM		Rated Voltage		
Temperature		25.10 °C		Rated Current		
Humidity		59.10 %		Photocell		Prc
Notes		RM19062503.1; RM19062503.2				
<b>Luminaire Lamps</b>						
Line		Code		Flux [lm]	Pow. [W]	Q.ty
PHILIPS LUMILED LUXEON 3014 250L		5751936 + 5751951		1024.92	29.66	1
			Name			
			2xLED 12,6W 700mA			
C.I.E.	31 59 84 87 100		D DIN 5040	B21		
F UTE	0.87 H + 0.13 T		B NBN	BZ 7 / 1.5 / BZ 6		



**Luminaire**  
Code 5486  
Name PUCK WALL ART LED  
**Measurem.**  
Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 1/18**

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 0.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 1.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 2.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 3.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 4.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 5.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 6.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 7.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 8.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 9.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 10.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 11.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 12.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 13.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 14.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 15.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 16.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 17.0	185	186	186	186	186	186	186	186	186	186	186	186	186
G 18.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 19.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 20.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 21.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 22.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 23.0	180	180	180	181	181	181	181	181	181	181	181	181	181
G 24.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 25.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 26.0	177	177	178	178	178	178	178	178	178	178	178	178	178
G 27.0	176	176	176	176	177	177	177	177	177	177	177	177	177
G 28.0	175	175	175	175	175	175	176	176	176	176	176	176	176
G 29.0	174	174	174	174	174	174	174	174	174	174	174	174	174
G 30.0	174	173	173	173	173	173	173	173	173	173	173	173	173
G 31.0	172	172	172	172	172	172	172	172	172	172	172	172	172
G 32.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 33.0	170	170	170	170	170	170	170	170	170	170	170	170	170
G 34.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 35.0	169	169	168	168	168	168	168	168	168	168	168	168	168
G 36.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 37.0	166	167	167	167	167	167	167	167	167	167	167	167	167
G 38.0	166	166	166	166	166	166	166	166	166	166	166	166	166
G 39.0	165	165	165	165	165	165	165	165	165	165	165	165	165
G 40.0	164	164	164	164	164	164	164	164	164	164	164	164	164
G 41.0	164	164	164	163	163	163	163	163	163	163	163	163	163
G 42.0	163	163	163	163	163	163	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 45.0	161	161	161	161	161	161	161	161	161	161	161	161	161
G 46.0	160	160	160	160	160	160	161	161	161	161	161	161	161
G 47.0	160	160	160	160	160	160	160	160	160	160	160	160	160
G 48.0	159	159	159	159	159	159	159	160	160	160	160	160	160
G 49.0	159	159	159	159	159	159	159	159	159	159	159	159	159
G 50.0	159	159	158	158	158	158	158	158	158	158	158	158	159
G 51.0	158	158	158	158	158	158	158	158	158	158	158	158	158
G 52.0	157	157	157	157	157	157	157	157	157	157	157	157	157
G 53.0	156	156	156	157	157	157	157	157	157	157	157	157	157
G 54.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 55.0	155	155	155	155	156	156	156	156	156	156	156	156	156
G 56.0	155	155	155	155	155	155	155	155	155	155	155	156	156
G 57.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 58.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 59.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 60.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 61.0	155	155	155	154	154	154	154	154	154	154	154	154	154
G 62.0	154	154	154	154	154	154	154	154	154	154	154	154	154
G 63.0	153	153	153	153	153	154	154	154	154	154	154	154	154
G 64.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 65.0	152	152	152	152	152	152	152	152	152	152	152	152	152
G 66.0	151	151	151	151	151	151	151	151	151	151	151	151	151
G 67.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 68.0	148	148	148	148	148	148	148	149	149	149	149	149	149
G 69.0	147	147	147	147	147	147	147	147	147	147	147	147	147
G 70.0	145	145	145	145	145	145	145	145	145	145	145	146	146
G 71.0	143	143	143	143	143	143	143	143	143	143	143	143	143
G 72.0	140	140	140	141	141	141	141	141	141	141	141	141	141

**Luminaire**  
 Code 5486  
 Name PUCK WALL ART LED  
**Measurem.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 2/18**

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 0.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 1.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 2.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 3.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 4.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 5.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 6.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 7.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 8.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 9.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 10.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 11.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 12.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 13.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 14.0	188	188	188	188	187	187	187	188	188	188	188	188	188
G 15.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 16.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 17.0	186	186	186	186	186	185	186	186	186	186	186	186	186
G 18.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 19.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 20.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 21.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 22.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 23.0	181	180	180	180	180	180	180	180	180	180	181	181	181
G 24.0	179	179	179	179	179	179	179	179	179	179	179	180	180
G 25.0	178	178	178	178	178	178	178	178	178	178	178	179	179
G 26.0	178	178	177	177	177	177	177	177	177	178	178	178	178
G 27.0	177	177	177	177	176	176	176	177	177	177	177	177	177
G 28.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 29.0	174	175	175	175	175	175	175	175	175	175	174	174	174
G 30.0	173	173	173	174	174	174	174	174	173	173	173	173	173
G 31.0	172	172	172	172	173	173	173	172	172	172	172	172	172
G 32.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 33.0	170	170	170	170	170	170	170	170	170	170	170	170	170
G 34.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 35.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 36.0	168	168	168	167	167	167	167	167	168	168	168	168	168
G 37.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 38.0	166	166	166	166	166	166	166	166	166	166	166	166	166
G 39.0	165	165	165	165	165	165	165	165	165	165	165	165	165
G 40.0	164	164	164	164	165	165	165	164	164	164	164	164	164
G 41.0	164	164	164	164	164	164	164	164	164	164	164	163	163
G 42.0	163	163	163	163	163	163	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 45.0	161	161	161	161	161	161	161	161	161	161	161	161	161
G 46.0	161	161	161	161	161	161	161	161	161	161	161	161	161
G 47.0	160	160	160	160	160	160	160	160	160	160	160	160	160
G 48.0	160	160	160	160	160	160	160	160	160	160	160	160	160
G 49.0	159	159	159	160	160	160	160	160	159	159	159	159	159
G 50.0	159	159	159	159	159	159	159	159	159	159	159	159	158
G 51.0	158	158	158	158	158	159	158	158	158	158	158	158	158
G 52.0	157	157	157	157	158	158	158	157	157	157	157	157	157
G 53.0	157	157	157	157	157	157	157	157	157	157	157	157	157
G 54.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 55.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 56.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 57.0	155	155	156	156	156	156	156	156	156	155	155	155	155
G 58.0	155	155	155	156	156	156	156	156	155	155	155	155	155
G 59.0	155	155	155	156	156	156	156	156	155	155	155	155	155
G 60.0	155	155	155	155	155	156	155	155	155	155	155	155	155
G 61.0	155	155	155	155	155	155	155	155	155	155	155	154	154
G 62.0	154	154	154	154	154	154	154	154	154	154	154	154	154
G 63.0	154	154	154	154	153	153	153	154	154	154	154	154	154
G 64.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 65.0	152	152	152	152	152	152	152	152	152	152	152	152	152
G 66.0	151	151	151	151	151	151	151	151	151	151	151	151	151
G 67.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 68.0	149	149	149	149	149	149	149	149	149	149	149	149	149
G 69.0	147	147	147	147	147	148	147	147	147	147	147	147	147
G 70.0	146	146	146	146	146	146	146	146	146	146	146	146	146
G 71.0	143	143	143	143	143	143	143	143	143	143	143	143	143
G 72.0	141	141	141	141	141	141	141	141	141	141	141	141	141

**Luminaire**  
 Code 5486  
 Name PUCK WALL ART LED  
**Measurem.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 3/18**

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 0.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 1.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 2.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 3.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 4.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 5.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 6.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 7.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 8.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 9.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 10.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 11.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 12.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 13.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 14.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 15.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 16.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 17.0	186	186	186	186	186	186	186	186	186	186	185	186	186
G 18.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 19.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 20.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 21.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 22.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 23.0	181	181	181	181	181	181	181	181	180	180	180	180	180
G 24.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 25.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 26.0	178	178	178	178	178	178	178	178	178	177	177	177	178
G 27.0	177	177	177	177	177	177	177	176	176	176	176	176	176
G 28.0	176	176	176	176	176	175	175	175	175	175	175	175	175
G 29.0	174	174	174	174	174	174	174	174	174	174	174	174	174
G 30.0	173	173	173	173	173	173	173	173	173	173	174	173	173
G 31.0	172	172	172	172	172	172	172	172	172	172	172	172	172
G 32.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 33.0	170	170	170	170	170	170	170	170	170	170	170	170	170
G 34.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 35.0	168	168	168	168	168	168	168	168	168	169	169	169	168
G 36.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 37.0	167	167	167	167	167	167	167	167	167	167	166	167	167
G 38.0	166	166	166	166	166	166	166	166	166	166	166	166	166
G 39.0	165	165	165	165	165	165	165	165	165	165	165	165	165
G 40.0	164	164	164	164	164	164	164	164	164	164	164	164	164
G 41.0	163	163	163	163	163	163	163	163	164	164	164	164	164
G 42.0	163	163	163	163	163	163	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 45.0	161	161	161	161	161	161	161	161	161	161	161	161	161
G 46.0	161	161	161	161	161	160	160	160	160	160	160	160	160
G 47.0	160	160	160	160	160	160	160	160	160	160	160	160	160
G 48.0	160	160	160	160	159	159	159	159	159	159	159	159	159
G 49.0	159	159	159	159	159	159	159	159	159	159	159	159	159
G 50.0	158	158	158	158	158	158	158	158	158	159	159	159	158
G 51.0	158	158	158	158	158	158	158	158	158	158	158	158	158
G 52.0	157	157	157	157	157	157	157	157	157	157	157	157	157
G 53.0	157	157	157	157	157	157	157	157	156	156	156	156	156
G 54.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 55.0	156	156	156	156	156	156	156	155	155	155	155	155	155
G 56.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 57.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 58.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 59.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 60.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 61.0	154	154	154	154	154	154	154	154	155	155	155	155	155
G 62.0	154	154	154	154	154	154	154	154	154	154	154	154	154
G 63.0	154	154	154	154	154	154	153	153	153	153	153	153	153
G 64.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 65.0	152	152	152	152	152	152	152	152	152	152	152	152	152
G 66.0	151	151	151	151	151	151	151	151	151	151	151	151	151
G 67.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 68.0	149	149	149	149	148	148	148	148	148	148	148	148	148
G 69.0	147	147	147	147	147	147	147	147	147	147	147	147	147
G 70.0	145	145	145	145	145	145	145	145	145	145	145	145	145
G 71.0	143	143	143	143	143	143	143	143	143	143	143	143	143
G 72.0	141	141	141	141	141	141	141	141	140	140	140	140	140

**Luminaire**  
 Code 5486  
 Name PUCK WALL ART LED  
**Measur.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 4/18**

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 0.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 1.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 2.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 3.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 4.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 5.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 6.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 7.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 8.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 9.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 10.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 11.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 12.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 13.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 14.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 15.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 16.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 17.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 18.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 19.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 20.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 21.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 22.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 23.0	181	181	181	181	181	181	181	181	181	181	181	180	180
G 24.0	180	180	180	180	180	180	180	180	180	180	179	179	179
G 25.0	179	179	179	179	179	179	179	179	179	179	178	178	178
G 26.0	178	178	178	178	178	178	178	178	178	178	178	178	177
G 27.0	176	177	177	177	177	177	177	177	177	177	177	177	177
G 28.0	175	175	175	176	176	176	176	176	176	176	176	176	176
G 29.0	174	174	174	174	174	174	174	174	174	174	174	175	175
G 30.0	173	173	173	173	173	173	173	173	173	173	173	173	173
G 31.0	172	172	172	172	172	172	172	172	172	172	172	172	172
G 32.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 33.0	170	170	170	170	170	170	170	170	170	170	170	170	170
G 34.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 35.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 36.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 37.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 38.0	166	166	166	166	166	166	166	166	166	166	166	166	166
G 39.0	165	165	165	165	165	165	165	165	165	165	165	165	165
G 40.0	164	164	164	164	164	164	164	164	164	164	164	164	164
G 41.0	163	163	163	163	163	163	163	163	163	163	164	164	164
G 42.0	163	163	163	163	163	163	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 45.0	161	161	161	161	161	161	161	161	161	161	161	161	161
G 46.0	160	160	160	161	161	161	161	161	161	161	161	161	161
G 47.0	160	160	160	160	160	160	160	160	160	160	160	160	160
G 48.0	159	159	159	159	160	160	160	160	160	160	160	160	160
G 49.0	159	159	159	159	159	159	159	159	159	159	159	159	159
G 50.0	158	158	158	158	158	158	158	158	158	159	159	159	159
G 51.0	158	158	158	158	158	158	158	158	158	158	158	158	158
G 52.0	157	157	157	157	157	157	157	157	157	157	157	157	157
G 53.0	157	157	157	157	157	157	157	157	157	157	157	157	157
G 54.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 55.0	155	156	156	156	156	156	156	156	156	156	156	156	156
G 56.0	155	155	155	155	155	155	155	155	156	156	156	156	156
G 57.0	155	155	155	155	155	155	155	155	155	155	155	155	156
G 58.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 59.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 60.0	155	155	155	155	155	155	155	155	155	155	155	155	155
G 61.0	154	154	154	154	154	154	154	154	154	154	155	155	155
G 62.0	154	154	154	154	154	154	154	154	154	154	154	154	154
G 63.0	153	153	154	154	154	154	154	154	154	154	154	154	154
G 64.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 65.0	152	152	152	152	152	152	152	152	152	152	152	152	152
G 66.0	151	151	151	151	151	151	151	151	151	151	151	151	151
G 67.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 68.0	148	148	148	148	149	149	149	149	149	149	149	149	149
G 69.0	147	147	147	147	147	147	147	147	147	147	147	147	147
G 70.0	145	145	145	145	145	145	145	145	146	146	146	146	146
G 71.0	143	143	143	143	143	143	143	143	143	143	143	143	143
G 72.0	141	141	141	141	141	141	141	141	141	141	141	141	141

**Luminaire**  
 Code 5486  
 Name PUCK WALL ART LED  
**Measur.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 5/18**

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 0.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 1.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 2.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 3.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 4.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 5.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 6.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 7.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 8.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 9.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 10.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 11.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 12.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 13.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 14.0	188	187	187	187	188	188	188	188	188	188	188	188	188
G 15.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 16.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 17.0	186	186	185	186	186	186	186	186	186	186	186	186	186
G 18.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 19.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 20.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 21.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 22.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 23.0	180	180	180	180	180	180	180	181	181	181	181	181	181
G 24.0	179	179	179	179	179	179	179	179	180	180	180	180	180
G 25.0	178	178	178	178	178	178	178	178	179	179	179	179	179
G 26.0	177	177	177	177	177	177	178	178	178	178	178	178	178
G 27.0	177	176	176	176	177	177	177	177	177	177	177	177	177
G 28.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 29.0	175	175	175	175	175	175	175	174	174	174	174	174	174
G 30.0	174	174	174	174	174	173	173	173	173	173	173	173	173
G 31.0	172	173	173	173	172	172	172	172	172	172	172	172	172
G 32.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 33.0	170	170	170	170	170	170	170	170	170	170	170	170	170
G 34.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 35.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 36.0	167	167	167	167	167	168	168	168	168	168	168	168	168
G 37.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 38.0	166	166	166	166	166	166	166	166	166	166	166	166	166
G 39.0	165	165	165	165	165	165	165	165	165	165	165	165	165
G 40.0	164	165	165	165	164	164	164	164	164	164	164	164	164
G 41.0	164	164	164	164	164	164	164	164	163	163	163	163	163
G 42.0	163	163	163	163	163	163	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 45.0	161	161	161	161	161	161	161	161	161	161	161	161	161
G 46.0	161	161	161	161	161	161	161	161	161	161	161	161	161
G 47.0	160	160	160	160	160	160	160	160	160	160	160	160	160
G 48.0	160	160	160	160	160	160	160	160	160	160	160	160	160
G 49.0	160	160	160	160	160	159	159	159	159	159	159	159	159
G 50.0	159	159	159	159	159	159	159	159	159	158	158	158	158
G 51.0	158	158	159	158	158	158	158	158	158	158	158	158	158
G 52.0	157	158	158	158	157	157	157	157	157	157	157	157	157
G 53.0	157	157	157	157	157	157	157	157	157	157	157	157	157
G 54.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 55.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 56.0	156	156	156	156	156	156	156	156	156	155	155	155	155
G 57.0	156	156	156	156	156	156	155	155	155	155	155	155	155
G 58.0	156	156	156	156	156	155	155	155	155	155	155	155	155
G 59.0	156	156	156	156	156	155	155	155	155	155	155	155	155
G 60.0	155	155	156	155	155	155	155	155	155	155	155	155	155
G 61.0	155	155	155	155	155	155	155	155	154	154	154	154	154
G 62.0	154	154	154	154	154	154	154	154	154	154	154	154	154
G 63.0	154	153	153	153	154	154	154	154	154	154	154	154	154
G 64.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 65.0	152	152	152	152	152	152	152	152	152	152	152	152	152
G 66.0	151	151	151	151	151	151	151	151	151	151	151	151	151
G 67.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 68.0	149	149	149	149	149	149	149	149	149	149	149	149	149
G 69.0	147	147	148	147	147	147	147	147	147	147	147	147	147
G 70.0	146	146	146	146	146	146	146	146	146	146	145	145	145
G 71.0	143	143	143	143	143	143	143	143	143	143	143	143	143
G 72.0	141	141	141	141	141	141	141	141	141	141	141	141	141

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 6/18**

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 0.0	192	192	192	192	192	192	192
G 1.0	192	192	192	192	192	192	192
G 2.0	192	192	192	192	192	192	192
G 3.0	192	192	192	192	192	192	192
G 4.0	192	192	192	192	192	192	192
G 5.0	191	191	191	191	191	191	191
G 6.0	191	191	191	191	191	191	191
G 7.0	191	191	191	191	191	191	191
G 8.0	191	191	191	191	191	191	191
G 9.0	190	190	190	190	190	190	190
G 10.0	190	190	190	190	190	190	190
G 11.0	189	189	189	189	189	189	189
G 12.0	189	189	189	189	189	189	189
G 13.0	188	188	188	188	188	188	188
G 14.0	188	188	188	188	188	188	188
G 15.0	187	187	187	187	187	187	187
G 16.0	186	186	186	186	186	186	186
G 17.0	186	186	186	186	186	186	186
G 18.0	185	185	185	185	185	185	185
G 19.0	184	184	184	184	184	184	184
G 20.0	183	183	183	183	183	183	183
G 21.0	182	182	182	182	182	182	182
G 22.0	181	181	181	181	181	181	181
G 23.0	181	181	181	181	181	180	180
G 24.0	180	180	180	180	180	180	180
G 25.0	179	179	179	179	179	179	179
G 26.0	178	178	178	178	178	178	177
G 27.0	177	177	177	177	176	176	176
G 28.0	176	176	175	175	175	175	175
G 29.0	174	174	174	174	174	174	174
G 30.0	173	173	173	173	173	173	173
G 31.0	172	172	172	172	172	172	172
G 32.0	171	171	171	171	171	171	171
G 33.0	170	170	170	170	170	170	170
G 34.0	169	169	169	169	169	169	169
G 35.0	168	168	168	168	168	168	169
G 36.0	168	168	168	168	168	168	168
G 37.0	167	167	167	167	167	167	167
G 38.0	166	166	166	166	166	166	166
G 39.0	165	165	165	165	165	165	165
G 40.0	164	164	164	164	164	164	164
G 41.0	163	163	163	163	163	164	164
G 42.0	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162
G 44.0	162	162	162	162	162	162	162
G 45.0	161	161	161	161	161	161	161
G 46.0	161	161	160	160	160	160	160
G 47.0	160	160	160	160	160	160	160
G 48.0	160	159	159	159	159	159	159
G 49.0	159	159	159	159	159	159	159
G 50.0	158	158	158	158	158	158	159
G 51.0	158	158	158	158	158	158	158
G 52.0	157	157	157	157	157	157	157
G 53.0	157	157	157	157	157	156	156
G 54.0	156	156	156	156	156	156	156
G 55.0	156	156	156	156	155	155	155
G 56.0	155	155	155	155	155	155	155
G 57.0	155	155	155	155	155	155	155
G 58.0	155	155	155	155	155	155	155
G 59.0	155	155	155	155	155	155	155
G 60.0	155	155	155	155	155	155	155
G 61.0	154	154	154	154	154	155	155
G 62.0	154	154	154	154	154	154	154
G 63.0	154	154	154	153	153	153	153
G 64.0	153	153	153	153	153	153	153
G 65.0	152	152	152	152	152	152	152
G 66.0	151	151	151	151	151	151	151
G 67.0	150	150	150	150	150	150	150
G 68.0	149	148	148	148	148	148	148
G 69.0	147	147	147	147	147	147	147
G 70.0	145	145	145	145	145	145	145
G 71.0	143	143	143	143	143	143	143
G 72.0	141	141	141	141	141	140	140

**Luminaire**Code 5486  
Name PUCK WALL ART LED**Measur.**Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm		Luminaire Power		29.66 W		Efficacy		34.56 lm/W		Efficiency		100.00%	
Sources Flux	1024.92 lm		Maximum value		192.03 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 7/18														
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00	
G 73.0	137	138	138	138	138	138	138	138	139	139	139	139	139	
G 74.0	134	134	135	135	135	135	135	136	136	136	136	136	136	
G 75.0	130	130	131	131	131	131	132	132	132	132	132	132	132	
G 76.0	125	125	126	126	126	126	127	127	127	127	127	127	127	
G 77.0	119	120	120	120	120	121	121	121	121	121	121	121	121	
G 78.0	113	113	113	114	114	114	114	115	115	115	115	115	115	
G 79.0	106	106	107	107	108	108	108	109	109	109	109	109	109	
G 80.0	99	100	100	101	101	102	102	102	103	103	103	103	103	
G 81.0	94	94	95	95	95	96	96	96	96	97	97	97	97	
G 82.0	89	89	89	89	90	90	90	90	90	91	91	91	91	
G 83.0	84	84	84	84	84	84	85	85	85	85	85	85	85	
G 84.0	79	79	79	79	79	79	79	79	80	80	80	80	80	
G 85.0	75	75	75	75	75	75	75	75	75	75	75	76	76	
G 86.0	72	72	72	71	71	71	71	71	71	72	72	72	72	
G 87.0	69	69	69	69	68	68	68	68	68	69	69	69	69	
G 88.0	66	66	66	66	66	66	66	66	66	66	66	67	67	
G 89.0	64	64	64	64	64	64	64	64	64	64	64	64	65	
G 90.0	62	62	62	62	62	62	62	62	62	63	63	63	63	
G 91.0	60	60	60	60	60	61	61	61	61	61	61	61	61	
G 92.0	59	59	59	59	59	59	59	59	59	59	59	59	59	
G 93.0	57	57	57	57	57	57	57	57	57	58	58	58	58	
G 94.0	55	55	55	56	56	56	56	56	56	56	56	56	56	
G 95.0	54	54	54	54	54	54	54	54	54	54	55	55	55	
G 96.0	52	52	52	52	53	53	53	53	53	53	53	53	53	
G 97.0	51	51	51	51	51	51	51	51	51	52	52	52	52	
G 98.0	50	50	50	50	50	50	50	50	50	50	50	50	50	
G 99.0	48	48	48	48	48	48	48	48	49	49	49	49	49	
G100.0	47	47	47	47	47	47	47	47	47	47	47	48	48	
G101.0	45	45	45	46	46	46	46	46	47	47	47	47	47	
G102.0	43	44	44	44	45	45	45	45	46	46	46	46	46	
G103.0	42	42	42	43	43	43	44	44	44	44	44	44	44	
G104.0	40	40	40	41	41	41	41	42	42	42	42	42	42	
G105.0	38	38	39	39	39	39	39	39	39	40	40	40	40	
G106.0	37	37	37	37	37	37	37	38	38	38	38	38	38	
G107.0	35	35	35	36	36	36	36	36	36	36	36	37	37	
G108.0	34	34	34	34	34	34	35	35	35	35	35	35	35	
G109.0	32	32	32	32	33	33	33	33	33	34	34	34	34	
G110.0	30	30	30	31	31	31	31	32	32	32	32	32	32	
G111.0	28	28	29	29	29	29	30	30	30	30	30	30	30	
G112.0	26	26	27	27	27	28	28	28	28	29	29	29	29	
G113.0	24	25	25	25	26	26	26	26	27	27	27	27	27	
G114.0	22	22	23	23	24	24	24	25	25	25	25	25	26	
G115.0	20	20	21	21	22	22	22	23	23	23	23	24	24	
G116.0	18	18	19	19	20	20	20	21	21	21	22	22	22	
G117.0	16	17	17	17	18	18	19	19	19	19	20	20	20	
G118.0	14	15	15	15	16	16	17	17	17	17	18	18	18	
G119.0	12	12	13	13	14	14	15	15	15	15	16	16	16	
G120.0	10	10	11	11	12	12	13	13	13	13	13	13	13	
G121.0	8	9	9	9	10	10	11	11	11	11	11	11	11	
G122.0	6	7	7	8	8	8	9	9	9	9	9	9	10	
G123.0	5	5	6	6	6	7	7	7	7	8	8	8	8	
G124.0	4	4	4	5	5	5	5	6	6	6	6	6	6	
G125.0	3	3	3	3	4	4	4	4	4	4	4	5	5	
G126.0	2	2	2	2	2	3	3	3	3	3	3	3	3	
G127.0	1	1	1	1	2	2	2	2	2	2	2	2	2	
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1	
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1	
G130.0	0	0	0	0	0	1	1	1	1	1	1	1	1	
G131.0	0	0	0	0	0	0	0	0	0	0	1	1	1	
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0	



**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 8/18**

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 73.0	139	138	138	138	138	138	138	138	138	138	139	139	139
G 74.0	136	135	135	135	135	135	135	135	135	135	136	136	136
G 75.0	132	132	132	131	131	131	131	131	132	132	132	132	132
G 76.0	127	127	127	127	126	126	126	127	127	127	127	127	127
G 77.0	121	121	121	121	121	121	121	121	121	121	121	121	121
G 78.0	115	115	115	115	115	115	115	115	115	115	115	115	115
G 79.0	109	109	109	109	109	108	109	109	109	109	109	109	109
G 80.0	103	103	103	103	102	102	102	103	103	103	103	103	103
G 81.0	97	97	97	97	97	96	97	97	97	97	97	97	97
G 82.0	91	91	91	91	91	91	91	91	91	91	91	91	91
G 83.0	85	85	86	86	86	86	86	86	86	85	85	85	85
G 84.0	80	81	81	81	81	82	81	81	81	81	80	80	80
G 85.0	76	76	77	77	77	78	77	77	77	76	76	76	76
G 86.0	72	73	73	74	74	74	74	74	73	73	72	72	72
G 87.0	69	70	70	71	71	71	71	71	70	70	69	69	69
G 88.0	67	67	67	68	68	68	68	68	67	67	67	67	67
G 89.0	65	65	65	65	65	65	65	65	65	65	65	65	64
G 90.0	63	63	63	63	63	63	63	63	63	63	63	63	63
G 91.0	61	61	61	61	61	61	61	61	61	61	61	61	61
G 92.0	59	59	59	59	59	60	59	59	59	59	59	59	59
G 93.0	58	58	58	58	58	58	58	58	58	58	58	58	58
G 94.0	56	56	57	57	57	57	57	57	57	56	56	56	56
G 95.0	55	55	55	55	55	55	55	55	55	55	55	55	55
G 96.0	53	54	54	54	54	54	54	54	54	54	53	53	53
G 97.0	52	52	52	53	53	53	53	53	52	52	52	52	52
G 98.0	50	51	51	51	51	51	51	51	51	51	50	50	50
G 99.0	49	49	49	49	49	49	49	49	49	49	49	49	49
G100.0	48	48	47	47	47	47	47	47	47	48	48	48	48
G101.0	47	46	46	46	46	46	46	46	46	46	47	47	47
G102.0	46	45	45	45	45	45	45	45	45	45	46	46	46
G103.0	44	44	44	44	44	43	44	44	44	44	44	44	44
G104.0	42	42	42	42	42	42	42	42	42	42	42	42	42
G105.0	40	40	40	40	40	40	40	40	40	40	40	40	40
G106.0	38	38	39	39	39	39	39	39	39	38	38	38	38
G107.0	37	37	37	37	38	38	38	37	37	37	37	37	37
G108.0	35	36	36	36	36	36	36	36	36	36	35	35	35
G109.0	34	34	34	34	34	34	34	34	34	34	34	34	34
G110.0	32	32	32	32	32	32	32	32	32	32	32	32	32
G111.0	30	30	30	31	31	31	31	31	30	30	30	30	30
G112.0	29	29	29	29	29	29	29	29	29	29	29	29	29
G113.0	27	27	27	28	28	28	28	28	27	27	27	27	27
G114.0	26	26	26	26	26	26	26	26	26	26	26	26	25
G115.0	24	24	24	24	24	24	24	24	24	24	24	24	24
G116.0	22	22	22	22	23	23	23	22	22	22	22	22	22
G117.0	20	20	21	21	21	21	21	21	21	20	20	20	20
G118.0	18	18	18	18	19	19	19	18	18	18	18	18	18
G119.0	16	16	16	16	16	16	16	16	16	16	16	16	16
G120.0	13	13	14	14	14	14	14	14	14	13	13	13	13
G121.0	11	11	11	11	11	12	11	11	11	11	11	11	11
G122.0	10	10	10	10	10	10	10	10	10	10	10	10	9
G123.0	8	8	8	8	8	8	8	8	8	8	8	8	8
G124.0	6	6	6	6	6	6	6	6	6	6	6	6	6
G125.0	5	5	5	5	5	5	5	5	5	5	5	5	5
G126.0	3	3	3	3	3	4	3	3	3	3	3	3	3
G127.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G128.0	1	1	1	1	2	2	2	2	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	0	0	0	1	1	1	1	1	1
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Luminaire**Code 5486  
Name PUCK WALL ART LED**Measur.**Code  
Name 2700K CRI90

Luminaire Flux		1024.92 lm		Luminaire Power		29.66 W		Efficacy		34.56 lm/W		Efficiency		100.00%	
Sources Flux		1024.92 lm		Maximum value		192.03 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 9/18															
	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00		
G 73.0	139	139	139	138	138	138	138	138	138	138	137	138	138		
G 74.0	136	136	136	136	135	135	135	135	135	134	134	134	135		
G 75.0	132	132	132	132	132	131	131	131	131	130	130	130	131		
G 76.0	127	127	127	127	127	126	126	126	126	125	125	125	126		
G 77.0	121	121	121	121	121	121	120	120	120	120	119	120	120		
G 78.0	115	115	115	115	114	114	114	114	113	113	113	113	113		
G 79.0	109	109	109	109	108	108	108	107	107	106	106	106	107		
G 80.0	103	103	103	102	102	102	101	101	100	100	99	100	100		
G 81.0	97	97	96	96	96	96	95	95	95	94	94	94	95		
G 82.0	91	91	90	90	90	90	89	89	89	89	89	89	89		
G 83.0	85	85	85	85	85	84	84	84	84	84	84	84	84		
G 84.0	80	80	80	79	79	79	79	79	79	79	79	79	79		
G 85.0	75	75	75	75	75	75	75	75	75	75	75	75	75		
G 86.0	72	72	71	71	71	71	71	71	72	72	72	72	72		
G 87.0	69	69	68	68	68	68	68	69	69	69	69	69	69		
G 88.0	66	66	66	66	66	66	66	66	66	66	66	66	66		
G 89.0	64	64	64	64	64	64	64	64	64	64	64	64	64		
G 90.0	63	63	62	62	62	62	62	62	62	62	62	62	62		
G 91.0	61	61	61	61	61	61	60	60	60	60	60	60	60		
G 92.0	59	59	59	59	59	59	59	59	59	59	59	59	59		
G 93.0	58	58	57	57	57	57	57	57	57	57	57	57	57		
G 94.0	56	56	56	56	56	56	56	56	55	55	55	55	55		
G 95.0	55	54	54	54	54	54	54	54	54	54	54	54	54		
G 96.0	53	53	53	53	53	53	53	52	52	52	52	52	52		
G 97.0	52	52	51	51	51	51	51	51	51	51	51	51	51		
G 98.0	50	50	50	50	50	50	50	50	50	50	50	50	50		
G 99.0	49	49	49	48	48	48	48	48	48	48	48	48	48		
G100.0	47	47	47	47	47	47	47	47	47	47	47	47	47		
G101.0	47	47	47	46	46	46	46	46	45	45	45	45	45		
G102.0	46	46	46	45	45	45	45	44	44	44	43	44	44		
G103.0	44	44	44	44	44	43	43	43	42	42	42	42	42		
G104.0	42	42	42	42	41	41	41	41	40	40	40	40	40		
G105.0	40	40	39	39	39	39	39	39	39	38	38	38	39		
G106.0	38	38	38	38	37	37	37	37	37	37	37	37	37		
G107.0	36	36	36	36	36	36	36	36	35	35	35	35	35		
G108.0	35	35	35	35	35	34	34	34	34	34	34	34	34		
G109.0	34	34	33	33	33	33	33	32	32	32	32	32	32		
G110.0	32	32	32	32	31	31	31	31	30	30	30	30	30		
G111.0	30	30	30	30	30	29	29	29	29	28	28	28	29		
G112.0	29	29	28	28	28	28	27	27	27	26	26	26	27		
G113.0	27	27	27	26	26	26	26	25	25	25	24	25	25		
G114.0	25	25	25	25	24	24	24	23	23	22	22	22	23		
G115.0	23	23	23	23	22	22	22	21	21	20	20	20	21		
G116.0	22	21	21	21	20	20	20	19	19	18	18	18	19		
G117.0	20	19	19	19	19	18	18	17	17	17	16	17	17		
G118.0	18	17	17	17	17	16	16	15	15	15	14	15	15		
G119.0	16	15	15	15	15	14	14	13	13	12	12	12	13		
G120.0	13	13	13	13	13	12	12	11	11	10	10	10	11		
G121.0	11	11	11	11	11	10	10	9	9	9	8	9	9		
G122.0	9	9	9	9	9	8	8	8	7	7	6	7	7		
G123.0	8	8	7	7	7	7	6	6	6	5	5	5	6		
G124.0	6	6	6	6	5	5	5	5	4	4	4	4	4		
G125.0	4	4	4	4	4	4	4	3	3	3	3	3	3		
G126.0	3	3	3	3	3	3	2	2	2	2	2	2	2		
G127.0	2	2	2	2	2	2	2	1	1	1	1	1	1		
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1		
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1		
G130.0	1	1	1	1	1	1	0	0	0	0	0	0	0		
G131.0	1	0	0	0	0	0	0	0	0	0	0	0	0		
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

**Luminaire**Code 5486  
Name PUCK WALL ART LED**Measur.**Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 10/18**

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 73.0	138	138	138	138	138	139	139	139	139	139	139	138	138
G 74.0	135	135	135	135	136	136	136	136	136	136	136	135	135
G 75.0	131	131	131	132	132	132	132	132	132	132	132	132	132
G 76.0	126	126	126	127	127	127	127	127	127	127	127	127	127
G 77.0	120	120	121	121	121	121	121	121	121	121	121	121	121
G 78.0	114	114	114	114	115	115	115	115	115	115	115	115	115
G 79.0	107	108	108	108	109	109	109	109	109	109	109	109	109
G 80.0	101	101	102	102	102	103	103	103	103	103	103	103	103
G 81.0	95	95	96	96	96	96	97	97	97	97	97	97	97
G 82.0	89	90	90	90	90	90	91	91	91	91	91	91	91
G 83.0	84	84	84	85	85	85	85	85	85	85	85	85	86
G 84.0	79	79	79	79	79	80	80	80	80	80	80	81	81
G 85.0	75	75	75	75	75	75	75	75	76	76	76	76	77
G 86.0	71	71	71	71	71	71	72	72	72	72	72	73	73
G 87.0	69	68	68	68	68	68	69	69	69	69	69	70	70
G 88.0	66	66	66	66	66	66	66	66	67	67	67	67	67
G 89.0	64	64	64	64	64	64	64	64	64	65	65	65	65
G 90.0	62	62	62	62	62	62	63	63	63	63	63	63	63
G 91.0	60	60	61	61	61	61	61	61	61	61	61	61	61
G 92.0	59	59	59	59	59	59	59	59	59	59	59	59	59
G 93.0	57	57	57	57	57	57	58	58	58	58	58	58	58
G 94.0	56	56	56	56	56	56	56	56	56	56	56	56	57
G 95.0	54	54	54	54	54	54	54	55	55	55	55	55	55
G 96.0	52	53	53	53	53	53	53	53	53	53	53	54	54
G 97.0	51	51	51	51	51	51	52	52	52	52	52	52	52
G 98.0	50	50	50	50	50	50	50	50	50	50	50	51	51
G 99.0	48	48	48	48	48	49	49	49	49	49	49	49	49
G100.0	47	47	47	47	47	47	47	47	48	48	48	48	47
G101.0	46	46	46	46	46	47	47	47	47	47	47	46	46
G102.0	44	45	45	45	45	46	46	46	46	46	46	45	45
G103.0	43	43	43	44	44	44	44	44	44	44	44	44	44
G104.0	41	41	41	41	42	42	42	42	42	42	42	42	42
G105.0	39	39	39	39	39	39	40	40	40	40	40	40	40
G106.0	37	37	37	37	38	38	38	38	38	38	38	38	39
G107.0	36	36	36	36	36	36	36	36	37	37	37	37	37
G108.0	34	34	34	35	35	35	35	35	35	35	35	36	36
G109.0	32	33	33	33	33	33	34	34	34	34	34	34	34
G110.0	31	31	31	31	32	32	32	32	32	32	32	32	32
G111.0	29	29	29	30	30	30	30	30	30	30	30	30	30
G112.0	27	27	28	28	28	28	29	29	29	29	29	29	29
G113.0	25	26	26	26	26	27	27	27	27	27	27	27	27
G114.0	23	24	24	24	25	25	25	25	25	26	26	26	26
G115.0	21	22	22	22	23	23	23	23	24	24	24	24	24
G116.0	19	20	20	20	21	21	21	22	22	22	22	22	22
G117.0	17	18	18	19	19	19	19	20	20	20	20	20	21
G118.0	15	16	16	17	17	17	17	18	18	18	18	18	18
G119.0	13	14	14	15	15	15	15	16	16	16	16	16	16
G120.0	11	12	12	13	13	13	13	13	13	13	13	13	14
G121.0	9	10	10	11	11	11	11	11	11	11	11	11	11
G122.0	8	8	8	9	9	9	9	9	9	10	10	10	10
G123.0	6	6	7	7	7	7	8	8	8	8	8	8	8
G124.0	5	5	5	5	6	6	6	6	6	6	6	6	6
G125.0	3	4	4	4	4	4	4	4	5	5	5	5	5
G126.0	2	2	3	3	3	3	3	3	3	3	3	3	3
G127.0	1	2	2	2	2	2	2	2	2	2	2	2	2
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	0	0	1	1	1	1	1	1	1	1	1	1	1
G131.0	0	0	0	0	0	0	0	1	1	1	1	1	1
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 11/18**

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 73.0	138	138	138	138	138	138	138	139	139	139	139	139	139
G 74.0	135	135	135	135	135	135	135	136	136	136	136	136	136
G 75.0	131	131	131	131	131	132	132	132	132	132	132	132	132
G 76.0	127	126	126	126	127	127	127	127	127	127	127	127	127
G 77.0	121	121	121	121	121	121	121	121	121	121	121	121	121
G 78.0	115	115	115	115	115	115	115	115	115	115	115	115	115
G 79.0	109	109	108	109	109	109	109	109	109	109	109	109	109
G 80.0	103	102	102	102	103	103	103	103	103	103	103	103	103
G 81.0	97	97	96	97	97	97	97	97	97	97	97	97	96
G 82.0	91	91	91	91	91	91	91	91	91	91	91	91	90
G 83.0	86	86	86	86	86	85	85	85	85	85	85	85	85
G 84.0	81	81	82	81	81	81	81	80	80	80	80	80	80
G 85.0	77	77	78	77	77	77	76	76	76	76	75	75	75
G 86.0	74	74	74	74	74	73	73	72	72	72	72	72	71
G 87.0	71	71	71	71	71	70	70	69	69	69	69	69	68
G 88.0	68	68	68	68	68	67	67	67	67	67	66	66	66
G 89.0	65	65	65	65	65	65	65	65	65	64	64	64	64
G 90.0	63	63	63	63	63	63	63	63	63	63	63	63	62
G 91.0	61	61	61	61	61	61	61	61	61	61	61	61	61
G 92.0	59	59	60	59	59	59	59	59	59	59	59	59	59
G 93.0	58	58	58	58	58	58	58	58	58	58	58	58	57
G 94.0	57	57	57	57	57	57	56	56	56	56	56	56	56
G 95.0	55	55	55	55	55	55	55	55	55	55	55	54	54
G 96.0	54	54	54	54	54	54	54	53	53	53	53	53	53
G 97.0	53	53	53	53	53	52	52	52	52	52	52	52	51
G 98.0	51	51	51	51	51	51	51	50	50	50	50	50	50
G 99.0	49	49	49	49	49	49	49	49	49	49	49	49	49
G100.0	47	47	47	47	47	47	48	48	48	48	47	47	47
G101.0	46	46	46	46	46	46	46	47	47	47	47	47	47
G102.0	45	45	45	45	45	45	45	46	46	46	46	46	46
G103.0	44	44	43	44	44	44	44	44	44	44	44	44	44
G104.0	42	42	42	42	42	42	42	42	42	42	42	42	42
G105.0	40	40	40	40	40	40	40	40	40	40	40	40	39
G106.0	39	39	39	39	39	39	38	38	38	38	38	38	38
G107.0	37	38	38	38	37	37	37	37	37	37	36	36	36
G108.0	36	36	36	36	36	36	36	35	35	35	35	35	35
G109.0	34	34	34	34	34	34	34	34	34	34	34	34	33
G110.0	32	32	32	32	32	32	32	32	32	32	32	32	32
G111.0	31	31	31	31	31	30	30	30	30	30	30	30	30
G112.0	29	29	29	29	29	29	29	29	29	29	29	29	28
G113.0	28	28	28	28	28	27	27	27	27	27	27	27	27
G114.0	26	26	26	26	26	26	26	26	26	25	25	25	25
G115.0	24	24	24	24	24	24	24	24	24	24	23	23	23
G116.0	22	23	23	23	22	22	22	22	22	22	22	21	21
G117.0	21	21	21	21	21	21	20	20	20	20	20	19	19
G118.0	18	19	19	19	18	18	18	18	18	18	18	17	17
G119.0	16	16	16	16	16	16	16	16	16	16	16	15	15
G120.0	14	14	14	14	14	14	13	13	13	13	13	13	13
G121.0	11	11	12	11	11	11	11	11	11	11	11	11	11
G122.0	10	10	10	10	10	10	10	10	10	9	9	9	9
G123.0	8	8	8	8	8	8	8	8	8	8	8	8	7
G124.0	6	6	6	6	6	6	6	6	6	6	6	6	6
G125.0	5	5	5	5	5	5	5	5	5	5	4	4	4
G126.0	3	3	4	3	3	3	3	3	3	3	3	3	3
G127.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G128.0	2	2	2	2	2	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	0	0	0	1	1	1	1	1	1	1	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 12/18**

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 73.0	138	138	138	138	138	138	138
G 74.0	136	135	135	135	135	135	134
G 75.0	132	132	131	131	131	131	130
G 76.0	127	127	126	126	126	126	125
G 77.0	121	121	121	120	120	120	120
G 78.0	115	114	114	114	114	113	113
G 79.0	109	108	108	108	107	107	106
G 80.0	102	102	102	101	101	100	100
G 81.0	96	96	96	95	95	95	94
G 82.0	90	90	90	90	89	89	89
G 83.0	85	85	84	84	84	84	84
G 84.0	79	79	79	79	79	79	79
G 85.0	75	75	75	75	75	75	75
G 86.0	71	71	71	71	71	72	72
G 87.0	68	68	68	68	69	69	69
G 88.0	66	66	66	66	66	66	66
G 89.0	64	64	64	64	64	64	64
G 90.0	62	62	62	62	62	62	62
G 91.0	61	61	61	60	60	60	60
G 92.0	59	59	59	59	59	59	59
G 93.0	57	57	57	57	57	57	57
G 94.0	56	56	56	56	56	55	55
G 95.0	54	54	54	54	54	54	54
G 96.0	53	53	53	53	52	52	52
G 97.0	51	51	51	51	51	51	51
G 98.0	50	50	50	50	50	50	50
G 99.0	48	48	48	48	48	48	48
G100.0	47	47	47	47	47	47	47
G101.0	46	46	46	46	46	45	45
G102.0	45	45	45	45	44	44	44
G103.0	44	44	43	43	43	42	42
G104.0	42	41	41	41	41	40	40
G105.0	39	39	39	39	39	39	38
G106.0	38	37	37	37	37	37	37
G107.0	36	36	36	36	36	35	35
G108.0	35	35	34	34	34	34	34
G109.0	33	33	33	33	32	32	32
G110.0	32	31	31	31	31	30	30
G111.0	30	30	29	29	29	29	28
G112.0	28	28	28	27	27	27	26
G113.0	26	26	26	26	25	25	25
G114.0	25	24	24	24	23	23	22
G115.0	23	22	22	22	21	21	20
G116.0	21	20	20	20	19	19	18
G117.0	19	19	18	18	17	17	17
G118.0	17	17	16	16	15	15	15
G119.0	15	15	14	14	13	13	12
G120.0	13	13	12	12	11	11	10
G121.0	11	11	10	10	9	9	9
G122.0	9	9	8	8	8	7	7
G123.0	7	7	7	6	6	6	5
G124.0	6	5	5	5	5	4	4
G125.0	4	4	4	4	3	3	3
G126.0	3	3	3	2	2	2	2
G127.0	2	2	2	2	1	1	1
G128.0	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1
G130.0	1	1	1	0	0	0	0
G131.0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 13/18**

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	1
G164.0	0	0	0	0	0	0	1	1	1	1	1	1	1
G165.0	0	0	0	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 14/18**

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	1	1	1	1	1	0	0	0	0	0
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	0
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 15/18**

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	1	1	1	1	1	0	0	0	0	0	0	0	0
G165.0	1	1	1	1	1	1	1	1	0	0	0	0	0
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1



**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 16/18**

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	1	1	1	1
G164.0	0	0	0	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 17/18**

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	1	1	1	1	1	0	0	0	0	0	0	0	0
G163.0	1	1	1	1	1	1	1	1	1	0	0	0	0
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 18/18**

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G146.0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0
G164.0	1	1	0	0	0	0	0
G165.0	1	1	1	1	1	0	0
G166.0	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90



Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=650mm

Semiplanos C

180.0 ————— 0.0

270.0 ————— 90.0



**Luminaire**


Code 5486  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90


Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=650mm



Semiplanos C

180.0 ————— 0.0  
270.0 ————— 90.0



**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**UGR**  
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	Viewed Crosswise					Viewed Endwise				
x=2H y=2H	14.7	16.0	15.1	16.5	17.0	14.7	16.0	15.1	16.5	17.0
x=2H y=3H	17.8	19.0	18.3	19.5	20.1	17.8	19.0	18.3	19.5	20.1
x=2H y=4H	19.3	20.5	19.9	21.0	21.6	19.4	20.6	19.9	21.1	21.6
x=2H y=6H	20.7	21.8	21.3	22.4	23.0	20.8	21.9	21.3	22.4	23.0
x=2H y=8H	21.3	22.4	21.9	23.0	23.6	21.4	22.5	22.0	23.1	23.6
x=2H y=12H	22.0	23.0	22.6	23.6	24.2	22.1	23.1	22.7	23.7	24.3
x=4H y=2H	15.9	17.1	16.4	17.6	18.1	15.9	17.1	16.4	17.6	18.1
x=4H y=3H	19.1	20.1	19.7	20.7	21.3	19.1	20.1	19.7	20.7	21.3
x=4H y=4H	20.8	21.7	21.4	22.3	22.9	20.8	21.7	21.4	22.3	22.9
x=4H y=6H	22.3	23.1	22.9	23.7	24.4	22.3	23.2	22.9	23.8	24.4
x=4H y=8H	23.0	23.7	23.6	24.4	25.0	23.0	23.8	23.7	24.4	25.1
x=4H y=12H	23.7	24.4	24.3	25.0	25.8	23.8	24.5	24.4	25.1	25.8
x=8H y=4H	21.5	22.3	22.1	22.9	23.6	21.5	22.3	22.1	22.9	23.6
x=8H y=6H	23.2	23.8	23.8	24.5	25.2	23.2	23.9	23.9	24.5	25.3
x=8H y=8H	24.0	24.6	24.7	25.3	26.0	24.1	24.7	24.8	25.3	26.1
x=8H y=12H	24.9	25.5	25.6	26.1	26.9	25.0	25.5	25.7	26.2	27.0
x=12H y=4H	21.6	22.3	22.3	22.9	23.7	21.6	22.3	22.3	23.0	23.7
x=12H y=6H	23.4	24.0	24.1	24.6	25.4	23.5	24.0	24.1	24.7	25.4
x=12H y=8H	24.3	24.9	25.0	25.5	26.3	24.4	24.9	25.1	25.6	26.4

**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90


Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	6.03	12.06	18.08	24.11	30.14	OC	6.36	12.72	19.09	25.45	31.81
OB	6.03	12.06	18.08	24.11	30.14	OD	6.36	12.72	19.09	25.45	31.81

Luminous Intensities [ cd ]

	0	5	15	25	35	45	55	65	75	85
OA	192.03	191.39	187.00	178.61	168.55	161.02	155.37	151.89	130.08	75.13
OB	192.03	191.39	187.00	178.61	168.55	161.02	155.37	151.89	130.08	75.13
OC	192.03	191.40	186.75	178.32	168.32	161.13	155.87	152.26	131.16	77.68
OD	192.03	191.40	186.75	178.32	168.32	161.13	155.87	152.26	131.16	77.68



H[m]	D[m]	Max lux	Med lux	Alpha=80.6°+80.6°	G=0.0	
1.00	12.06	192	5			
2.00	24.11	48	1			
3.00	36.17	21	1			
4.00	48.23	12	0			
5.00	60.28	8	0			

H[m]	D[m]	Max lux	Med lux	Beta=81.1°+81.1°	G=0.0	
1.00	12.72	192	5			
2.00	25.45	48	1			
3.00	38.17	21	1			
4.00	50.89	12	0			
5.00	63.62	8	0			

**Luminaire**  
Code 5486  
Name PUCK WALL ART LED  
**Measur.**  
Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Flujo Total=1024.92 Flujo Luminaria=1024.92

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.20	0.27	0.33	0.39	0.45	0.53	0.60	0.65	0.71	0.76	0.86	0.92
RC	8	8	8	8	8	8	8	8	8	7	7	7

Flujo Zonal por 1000 Lúmenes


Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	18	69	150	253	375	511	658	790	873	931	973	995	999	999	1000	1000	1000	1000

Códigos de Flujo C.I.E.  
31 59 84 87 100

C.I.E.  
D DIN 5040  
F UTE  
B NBN  
RN  
BLF

8/8/8/8/8/8/8/7/7/7  
B21  
0.87 H + 0.13 T  
BZ 7 / 1.5 / BZ 6  
12.67131 %  
1.0

LOR 100.00000 %  
ULOR 12.67131 %  
DLOR 87.32869 %  
UFF 12.67131 %  
DFF 87.32869 %  
FFR 14.50991 %



Flujo Zonal				
Gamma °	Flujo	Suma lm	Flujo [%]	Suma [%]
0°	0.00	0.00	0.00%	0.00 %
5°	4.47	4.47	0.45 %	0.45 %
10°	13.31	17.78	1.33 %	1.78 %
15°	21.81	39.58	2.18 %	3.96 %
20°	29.77	69.35	2.98 %	6.93 %
25°	37.01	106.36	3.70 %	10.64 %
30°	43.45	149.81	4.34 %	14.98 %
35°	49.06	198.87	4.91 %	19.89 %
40°	54.13	253.00	5.41 %	25.30 %
45°	58.71	311.71	5.87 %	31.17 %
50°	63.02	374.73	6.30 %	37.47 %
55°	66.61	441.35	6.66 %	44.13 %
60°	70.01	511.36	7.00 %	51.14 %
65°	72.92	584.27	7.29 %	58.43 %
70°	73.69	657.96	7.37 %	65.80 %
75°	70.99	728.95	7.10 %	72.90 %
80°	61.24	790.19	6.12 %	79.02 %
85°	46.64	836.84	4.66 %	83.68 %
90°	36.45	873.29	3.65 %	87.33 %
95°	31.18	904.47	3.12 %	90.45 %
100°	26.98	931.45	2.70 %	93.14 %
105°	22.92	954.37	2.29 %	95.44 %
110°	18.16	972.53	1.82 %	97.25 %
115°	13.49	986.02	1.35 %	98.60 %
120°	8.53	994.55	0.85 %	99.45 %
125°	3.67	998.22	0.37 %	99.82 %
130°	0.78	999.01	0.08 %	99.90 %
135°	0.18	999.18	0.02 %	99.92 %
140°	0.15	999.34	0.02 %	99.93 %
145°	0.14	999.47	0.01 %	99.95 %
150°	0.12	999.60	0.01 %	99.96 %
155°	0.11	999.71	0.01 %	99.97 %
160°	0.10	999.80	0.01 %	99.98 %
165°	0.08	999.88	0.01 %	99.99 %
170°	0.06	999.94	0.01 %	99.99 %
175°	0.04	999.99	0.00 %	100.00 %
180°	0.01	1000.00	0.00 %	100.00 %



**Luminaire**

Code 5486  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90

Luminaire Flux	1024.92 lm	Luminaire Power	29.66 W	Efficacy	34.56 lm/W	Efficiency	100.00%
Sources Flux	1024.92 lm	Maximum value	192.03 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.50m

