


<b>Luminaire</b>							
Code	5487						
Name	PUCK WALL ART LED						
<b>Measur.</b>							
Code							
Name	2700K CRI90						
Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical
Round Luminaire		Diam.	870 mm	Height	65 mm		
Round Luminous Area		Diam.	830 mm	Height	0 mm		
Horizontal Luminous Area		0.541061 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.130894 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		17-07-2019		Maximum Gamma Angle		180	
Measurement Distance		6.44		Measurement Flux		1131.20 lm	
Operator		ASSELUM		Rated Voltage			
Temperature		25.10 °C		Rated Current			
Humidity		59.10 %		Photocell		Prc	
Notes		RM19062503.1; RM19062503.2					
<b>Luminaire Lamps</b>							
Line		Code	Name	Flux [lm]	Pow. [W]	Q.ty	
PHILIPS LUMILED LUXEON 3014 250L		5751936 + 5751951	(1xLED 8,4W + 1xLED 12,6W) 700mA	1131.19	40.47	1	
C.I.E.	30 58 85 88 100		D DIN 5040	B11			
F UTE	0.88 H + 0.12 T		B NBN	BZ 7 / 2 / BZ 6			



**Luminaire**  
 Code 5487  
 Name PUCK WALL ART LED  
**Measurem.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 1/18**

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 0.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 1.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 2.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 3.0	203	203	204	204	204	204	204	204	204	204	204	204	204
G 4.0	203	203	203	203	203	203	203	203	203	204	204	204	204
G 5.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 6.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 7.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 8.0	202	202	202	202	202	202	202	202	202	202	202	203	203
G 9.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 10.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 11.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 12.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 13.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 14.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 15.0	199	199	199	199	199	199	199	199	199	199	199	199	199
G 16.0	198	198	198	198	198	198	199	199	199	199	199	199	199
G 17.0	198	198	198	198	198	198	198	198	198	198	198	198	198
G 18.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 19.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 20.0	196	196	196	196	196	195	195	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 22.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 23.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 24.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 25.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 26.0	190	190	190	190	190	190	191	191	191	191	191	191	191
G 27.0	189	189	189	189	189	190	190	190	190	190	190	190	190
G 28.0	188	188	188	188	189	189	189	189	189	189	189	189	189
G 29.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 30.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 31.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 32.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 33.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 34.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 35.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 36.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 37.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 38.0	180	180	180	180	181	181	181	181	181	181	181	181	181
G 39.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 40.0	179	179	179	179	179	179	179	179	179	179	179	180	180
G 41.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 42.0	178	178	178	178	179	179	179	179	179	179	179	179	179
G 43.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 44.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 45.0	177	177	178	178	178	178	178	178	178	178	178	178	178
G 46.0	177	177	177	177	177	178	178	178	178	178	178	178	178
G 47.0	177	177	177	177	177	177	178	178	178	178	178	178	178
G 48.0	177	177	177	177	177	177	177	177	177	177	178	178	178
G 49.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 50.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 51.0	176	176	176	176	176	176	177	177	177	177	177	177	177
G 52.0	176	176	176	176	176	176	176	176	176	177	177	177	177
G 53.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 54.0	175	175	175	176	176	176	176	176	176	176	176	176	176
G 55.0	175	175	175	175	176	176	176	176	176	176	176	176	176
G 56.0	175	175	176	176	176	176	176	176	176	176	176	177	177
G 57.0	176	176	176	176	176	176	177	177	177	177	177	177	177
G 58.0	176	176	176	177	177	177	177	177	177	177	177	178	178
G 59.0	177	177	177	177	177	177	178	178	178	178	178	178	178
G 60.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 61.0	178	178	178	178	178	178	178	178	178	178	179	179	179
G 62.0	178	178	178	178	178	178	178	179	179	179	179	179	179
G 63.0	177	178	178	178	178	178	179	179	179	179	179	179	179
G 64.0	177	177	178	178	178	178	179	179	179	179	179	179	179
G 65.0	177	177	177	177	178	178	178	178	178	179	179	179	179
G 66.0	176	176	176	177	177	177	177	178	178	178	178	178	178
G 67.0	175	175	175	176	176	176	176	177	177	177	177	177	177
G 68.0	173	174	174	174	175	175	175	175	175	176	176	176	176
G 69.0	172	172	173	173	173	174	174	174	174	174	174	174	174
G 70.0	170	170	171	171	172	172	172	172	173	173	173	173	173
G 71.0	168	168	169	169	169	170	170	170	170	171	171	171	171
G 72.0	165	165	166	166	167	167	167	168	168	168	168	168	168

**Luminaire**  
 Code 5487  
 Name PUCK WALL ART LED  
**Measurem.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 2/18**

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 0.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 1.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 2.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 3.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 4.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 5.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 6.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 7.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 8.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 9.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 10.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 11.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 12.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 13.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 14.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 15.0	199	199	199	199	199	199	199	199	199	199	199	199	199
G 16.0	199	199	198	198	198	198	198	198	198	199	199	199	199
G 17.0	198	198	198	198	198	198	198	198	198	198	198	198	198
G 18.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 19.0	196	196	196	197	197	197	197	197	196	196	196	196	196
G 20.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 22.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 23.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 24.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 25.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 26.0	191	191	190	190	190	190	190	190	190	191	191	191	191
G 27.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 28.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 29.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 30.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 31.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 32.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 33.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 34.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 35.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 36.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 37.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 38.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 39.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 40.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 41.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 42.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 43.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 44.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 45.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 46.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 47.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 48.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 49.0	177	178	178	178	178	178	178	178	178	178	177	177	177
G 50.0	177	177	177	178	178	178	178	178	177	177	177	177	177
G 51.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 52.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 53.0	176	176	176	176	176	177	177	176	176	176	176	176	176
G 54.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 55.0	176	176	176	176	176	177	176	176	176	176	176	176	176
G 56.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 57.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 58.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 59.0	178	178	178	178	178	179	178	178	178	178	178	178	178
G 60.0	178	179	179	179	179	179	179	179	179	179	178	178	178
G 61.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 62.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 63.0	179	179	179	179	179	178	179	179	179	179	179	179	179
G 64.0	179	179	179	179	178	178	178	179	179	179	179	179	179
G 65.0	179	179	178	178	178	178	178	178	178	179	179	179	179
G 66.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 67.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 68.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 69.0	174	174	174	174	174	174	174	174	174	174	174	174	174
G 70.0	173	173	172	172	172	172	172	172	172	173	173	173	173
G 71.0	170	170	170	170	170	170	170	170	170	170	170	171	171
G 72.0	168	168	167	167	167	167	167	167	167	168	168	168	168

**Luminaire**  
Code 5487  
Name PUCK WALL ART LED  
**Measurem.**  
Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd      Table 3/18													
	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 0.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 1.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 2.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 3.0	204	204	204	204	204	204	204	204	204	203	203	203	204
G 4.0	204	204	203	203	203	203	203	203	203	203	203	203	203
G 5.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 6.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 7.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 8.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 9.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 10.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 11.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 12.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 13.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 14.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 15.0	199	199	199	199	199	199	199	199	199	199	199	199	199
G 16.0	199	199	199	199	199	198	198	198	198	198	198	198	198
G 17.0	198	198	198	198	198	198	198	198	198	198	198	198	198
G 18.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 19.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 20.0	196	196	196	196	195	195	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 22.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 23.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 24.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 25.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 26.0	191	191	191	191	191	190	190	190	190	190	190	190	190
G 27.0	190	190	190	190	190	189	189	189	189	189	189	189	189
G 28.0	189	189	189	189	189	189	189	188	188	188	188	188	188
G 29.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 30.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 31.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 32.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 33.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 34.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 35.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 36.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 37.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 38.0	181	181	181	181	181	181	181	180	180	180	180	180	180
G 39.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 40.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 41.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 42.0	179	179	179	179	179	179	179	178	178	178	178	178	178
G 43.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 44.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 45.0	178	178	178	178	178	178	178	178	178	177	177	177	178
G 46.0	178	178	178	178	178	178	177	177	177	177	177	177	177
G 47.0	178	178	178	178	177	177	177	177	177	177	177	177	177
G 48.0	178	177	177	177	177	177	177	177	177	177	177	177	177
G 49.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 50.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 51.0	177	177	177	177	177	176	176	176	176	176	176	176	176
G 52.0	177	177	176	176	176	176	176	176	176	176	176	176	176
G 53.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 54.0	176	176	176	176	176	176	176	176	175	175	175	175	175
G 55.0	176	176	176	176	176	176	176	175	175	175	175	175	175
G 56.0	176	176	176	176	176	176	176	176	176	175	175	175	176
G 57.0	177	177	177	177	177	176	176	176	176	176	176	176	176
G 58.0	177	177	177	177	177	177	177	177	176	176	176	176	176
G 59.0	178	178	178	178	178	177	177	177	177	177	177	177	177
G 60.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 61.0	179	178	178	178	178	178	178	178	178	178	178	178	178
G 62.0	179	179	179	179	179	178	178	178	178	178	177	178	178
G 63.0	179	179	179	179	179	178	178	178	178	178	177	178	178
G 64.0	179	179	179	179	179	178	178	178	178	177	177	177	178
G 65.0	179	179	178	178	178	178	178	177	177	177	177	177	177
G 66.0	178	178	178	178	177	177	177	177	176	176	176	176	176
G 67.0	177	177	177	177	176	176	176	176	175	175	175	175	175
G 68.0	176	176	175	175	175	175	175	174	174	174	173	174	174
G 69.0	174	174	174	174	174	174	173	173	173	172	172	172	173
G 70.0	173	173	173	172	172	172	172	171	171	170	170	170	171
G 71.0	171	171	170	170	170	170	169	169	169	168	168	168	169
G 72.0	168	168	168	168	167	167	167	166	166	165	165	165	166

**Luminaire**  
 Code 5487  
 Name PUCK WALL ART LED  
**Measurem.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 4/18**

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 0.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 1.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 2.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 3.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 4.0	203	203	203	203	203	203	204	204	204	204	204	204	204
G 5.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 6.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 7.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 8.0	202	202	202	202	202	202	202	202	203	203	203	203	203
G 9.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 10.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 11.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 12.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 13.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 14.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 15.0	199	199	199	199	199	199	199	199	199	199	199	199	199
G 16.0	198	198	198	199	199	199	199	199	199	199	199	199	198
G 17.0	198	198	198	198	198	198	198	198	198	198	198	198	198
G 18.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 19.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 20.0	196	196	195	195	196	196	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 22.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 23.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 24.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 25.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 26.0	190	190	190	191	191	191	191	191	191	191	191	191	190
G 27.0	189	189	190	190	190	190	190	190	190	190	190	190	190
G 28.0	188	189	189	189	189	189	189	189	189	189	189	189	189
G 29.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 30.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 31.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 32.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 33.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 34.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 35.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 36.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 37.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 38.0	180	181	181	181	181	181	181	181	181	181	181	181	181
G 39.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 40.0	179	179	179	179	179	179	179	179	180	180	180	180	180
G 41.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 42.0	178	179	179	179	179	179	179	179	179	179	179	179	179
G 43.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 44.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 45.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 46.0	177	177	178	178	178	178	178	178	178	178	178	178	178
G 47.0	177	177	177	177	178	178	178	178	178	178	178	178	178
G 48.0	177	177	177	177	177	177	177	178	178	178	178	178	178
G 49.0	177	177	177	177	177	177	177	177	177	177	177	178	178
G 50.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 51.0	176	176	176	177	177	177	177	177	177	177	177	177	177
G 52.0	176	176	176	176	176	176	177	177	177	177	177	177	177
G 53.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 54.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 55.0	175	176	176	176	176	176	176	176	176	176	176	176	176
G 56.0	176	176	176	176	176	176	176	176	177	177	177	177	177
G 57.0	176	176	176	177	177	177	177	177	177	177	177	177	177
G 58.0	177	177	177	177	177	177	177	177	178	178	178	178	178
G 59.0	177	177	177	178	178	178	178	178	178	178	178	178	178
G 60.0	178	178	178	178	178	178	178	178	178	178	178	179	179
G 61.0	178	178	178	178	178	178	178	179	179	179	179	179	179
G 62.0	178	178	178	178	179	179	179	179	179	179	179	179	179
G 63.0	178	178	178	179	179	179	179	179	179	179	179	179	179
G 64.0	178	178	178	179	179	179	179	179	179	179	179	179	179
G 65.0	177	178	178	178	178	178	179	179	179	179	179	179	178
G 66.0	177	177	177	177	178	178	178	178	178	178	178	178	178
G 67.0	176	176	176	176	177	177	177	177	177	177	177	177	177
G 68.0	174	175	175	175	175	175	176	176	176	176	176	176	176
G 69.0	173	173	174	174	174	174	174	174	174	174	174	174	174
G 70.0	171	172	172	172	172	173	173	173	173	173	173	173	172
G 71.0	169	169	170	170	170	170	171	171	171	171	170	170	170
G 72.0	166	167	167	167	168	168	168	168	168	168	168	168	167

**Luminaire**  
 Code 5487  
 Name PUCK WALL ART LED  
**Measurem.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 5/18**

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 0.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 1.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 2.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 3.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 4.0	204	204	204	204	204	204	204	204	204	204	204	204	203
G 5.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 6.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 7.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 8.0	203	203	203	203	203	203	203	203	203	203	202	202	202
G 9.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 10.0	202	202	202	202	202	202	202	202	202	202	202	202	202
G 11.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 12.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 13.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 14.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 15.0	199	199	199	199	199	199	199	199	199	199	199	199	199
G 16.0	198	198	198	198	198	198	199	199	199	199	199	199	199
G 17.0	198	198	198	198	198	198	198	198	198	198	198	198	198
G 18.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 19.0	197	197	197	197	197	196	196	196	196	196	196	196	196
G 20.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 22.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 23.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 24.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 25.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 26.0	190	190	190	190	190	190	191	191	191	191	191	191	191
G 27.0	190	190	190	190	190	190	190	190	190	190	190	190	190
G 28.0	189	189	189	189	189	189	189	189	189	189	189	189	189
G 29.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 30.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 31.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 32.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 33.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 34.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 35.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 36.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 37.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 38.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 39.0	180	180	181	180	180	180	180	180	180	180	180	180	180
G 40.0	180	180	180	180	180	180	180	180	180	180	179	179	179
G 41.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 42.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 43.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 44.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 45.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 46.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 47.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 48.0	178	178	178	178	178	178	178	178	178	178	178	177	177
G 49.0	178	178	178	178	178	178	178	177	177	177	177	177	177
G 50.0	178	178	178	178	178	177	177	177	177	177	177	177	177
G 51.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 52.0	177	177	177	177	177	177	177	177	177	177	177	177	176
G 53.0	176	177	177	177	177	176	176	176	176	176	176	176	176
G 54.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 55.0	176	176	177	176	176	176	176	176	176	176	176	176	176
G 56.0	177	177	177	177	177	177	177	177	177	177	176	176	176
G 57.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 58.0	178	178	178	178	178	178	178	178	178	178	177	177	177
G 59.0	178	178	179	178	178	178	178	178	178	178	178	178	178
G 60.0	179	179	179	179	179	179	179	178	178	178	178	178	178
G 61.0	179	179	179	179	179	179	179	179	179	179	179	178	178
G 62.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 63.0	179	179	178	179	179	179	179	179	179	179	179	179	179
G 64.0	179	178	178	178	179	179	179	179	179	179	179	179	179
G 65.0	178	178	178	178	178	178	179	179	179	179	179	179	178
G 66.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 67.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 68.0	176	176	176	176	176	176	176	176	176	176	176	176	175
G 69.0	174	174	174	174	174	174	174	174	174	174	174	174	174
G 70.0	172	172	172	172	172	172	173	173	173	173	173	173	173
G 71.0	170	170	170	170	170	170	170	170	171	171	171	171	170
G 72.0	167	167	167	167	167	167	168	168	168	168	168	168	168

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 6/18**

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 0.0	204	204	204	204	204	204	204
G 1.0	204	204	204	204	204	204	204
G 2.0	204	204	204	204	204	204	204
G 3.0	204	204	204	204	204	204	203
G 4.0	203	203	203	203	203	203	203
G 5.0	203	203	203	203	203	203	203
G 6.0	203	203	203	203	203	203	203
G 7.0	203	203	203	203	203	203	203
G 8.0	202	202	202	202	202	202	202
G 9.0	202	202	202	202	202	202	202
G 10.0	202	202	202	202	202	202	202
G 11.0	201	201	201	201	201	201	201
G 12.0	201	201	201	201	201	201	201
G 13.0	200	200	200	200	200	200	200
G 14.0	200	200	200	200	200	200	200
G 15.0	199	199	199	199	199	199	199
G 16.0	199	199	198	198	198	198	198
G 17.0	198	198	198	198	198	198	198
G 18.0	197	197	197	197	197	197	197
G 19.0	196	196	196	196	196	196	196
G 20.0	196	195	195	196	196	196	196
G 21.0	195	195	195	195	195	195	195
G 22.0	194	194	194	194	194	194	194
G 23.0	193	193	193	193	193	193	193
G 24.0	192	192	192	192	192	192	192
G 25.0	191	191	191	191	191	191	191
G 26.0	191	191	190	190	190	190	190
G 27.0	190	190	190	189	189	189	189
G 28.0	189	189	189	189	188	188	188
G 29.0	188	188	188	188	188	188	188
G 30.0	187	187	187	187	187	187	187
G 31.0	186	186	186	186	186	186	186
G 32.0	185	185	185	185	185	185	185
G 33.0	184	184	184	184	184	184	184
G 34.0	183	183	183	183	183	183	183
G 35.0	183	183	183	183	183	183	183
G 36.0	182	182	182	182	182	182	182
G 37.0	181	181	181	181	181	181	181
G 38.0	181	181	181	181	180	180	180
G 39.0	180	180	180	180	180	180	180
G 40.0	179	179	179	179	179	179	179
G 41.0	179	179	179	179	179	179	179
G 42.0	179	179	179	179	178	178	178
G 43.0	178	178	178	178	178	178	178
G 44.0	178	178	178	178	178	178	178
G 45.0	178	178	178	178	178	178	177
G 46.0	178	178	178	177	177	177	177
G 47.0	178	177	177	177	177	177	177
G 48.0	177	177	177	177	177	177	177
G 49.0	177	177	177	177	177	177	177
G 50.0	177	177	177	177	177	177	177
G 51.0	177	177	176	176	176	176	176
G 52.0	176	176	176	176	176	176	176
G 53.0	176	176	176	176	176	176	176
G 54.0	176	176	176	176	176	175	175
G 55.0	176	176	176	176	175	175	175
G 56.0	176	176	176	176	176	176	175
G 57.0	177	177	176	176	176	176	176
G 58.0	177	177	177	177	177	176	176
G 59.0	178	178	177	177	177	177	177
G 60.0	178	178	178	178	178	178	178
G 61.0	178	178	178	178	178	178	178
G 62.0	179	178	178	178	178	178	178
G 63.0	179	179	178	178	178	178	178
G 64.0	179	179	178	178	178	178	177
G 65.0	178	178	178	178	177	177	177
G 66.0	178	177	177	177	177	176	176
G 67.0	177	176	176	176	176	175	175
G 68.0	175	175	175	175	174	174	174
G 69.0	174	174	174	173	173	173	172
G 70.0	172	172	172	172	171	171	170
G 71.0	170	170	170	169	169	169	168
G 72.0	168	167	167	167	166	166	165

**Luminaire**Code 5487  
Name PUCK WALL ART LED**Measur.**Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 7/18**

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 73.0	161	162	162	163	163	164	164	165	165	165	165	165	165
G 74.0	157	158	158	159	160	160	161	161	161	162	162	162	161
G 75.0	152	152	153	154	155	155	156	156	156	157	157	157	157
G 76.0	145	146	147	147	148	149	149	150	150	150	150	150	150
G 77.0	138	139	139	140	140	141	141	142	142	142	142	142	142
G 78.0	129	130	130	131	132	132	133	133	133	134	134	134	134
G 79.0	120	121	121	122	123	123	124	124	125	125	125	125	125
G 80.0	111	112	112	113	114	114	115	115	116	116	116	116	116
G 81.0	103	104	104	105	106	107	107	107	108	108	108	108	108
G 82.0	97	97	97	98	98	98	99	99	99	99	99	100	100
G 83.0	90	90	91	91	91	91	91	91	91	91	92	92	92
G 84.0	84	84	84	84	84	84	84	84	84	84	84	85	85
G 85.0	78	78	78	78	78	78	78	78	78	78	78	79	79
G 86.0	74	74	74	73	73	73	73	73	73	73	73	74	74
G 87.0	70	70	70	70	70	69	69	69	69	69	70	70	70
G 88.0	67	67	67	67	67	67	67	67	67	67	67	67	67
G 89.0	64	64	64	64	64	64	64	64	64	65	65	65	65
G 90.0	62	62	62	62	62	62	63	63	63	63	63	63	63
G 91.0	60	60	60	61	61	61	61	61	61	61	61	61	61
G 92.0	59	59	59	59	59	59	59	59	59	59	59	59	60
G 93.0	57	57	57	57	57	57	58	58	58	58	58	58	58
G 94.0	56	56	56	56	56	56	56	56	56	56	56	56	56
G 95.0	54	54	54	54	54	54	54	54	55	55	55	55	55
G 96.0	52	52	53	53	53	53	53	53	53	53	53	53	54
G 97.0	51	51	51	51	51	51	51	52	52	52	52	52	52
G 98.0	50	50	50	50	50	50	50	50	50	50	50	50	51
G 99.0	48	48	48	48	49	49	49	49	49	49	49	49	49
G100.0	47	47	47	47	47	47	47	48	48	48	48	48	48
G101.0	45	45	46	46	46	46	46	47	47	47	47	47	47
G102.0	43	44	44	44	45	45	45	46	46	46	46	46	46
G103.0	42	42	42	43	43	43	44	44	44	44	44	44	44
G104.0	40	40	41	41	41	41	42	42	42	42	42	42	42
G105.0	38	39	39	39	39	39	39	40	40	40	40	40	40
G106.0	37	37	37	37	37	38	38	38	38	38	38	38	38
G107.0	35	36	36	36	36	36	36	36	36	37	37	37	37
G108.0	34	34	34	34	34	35	35	35	35	35	35	35	36
G109.0	32	32	32	33	33	33	33	34	34	34	34	34	34
G110.0	30	30	31	31	31	31	32	32	32	32	32	32	32
G111.0	28	28	29	29	29	30	30	30	30	31	31	31	31
G112.0	26	27	27	27	28	28	28	28	29	29	29	29	29
G113.0	24	25	25	25	26	26	26	27	27	27	27	27	27
G114.0	22	23	23	23	24	24	24	25	25	25	25	26	26
G115.0	20	21	21	21	22	22	23	23	23	23	24	24	24
G116.0	18	19	19	19	20	20	21	21	21	22	22	22	22
G117.0	16	17	17	18	18	18	19	19	19	20	20	20	20
G118.0	14	15	15	16	16	16	17	17	17	18	18	18	18
G119.0	12	13	13	14	14	14	15	15	15	16	16	16	16
G120.0	10	11	11	12	12	12	13	13	13	14	14	14	14
G121.0	8	9	9	10	10	10	11	11	11	12	12	12	12
G122.0	7	7	7	8	8	9	9	9	9	10	10	10	10
G123.0	5	6	6	6	7	7	7	7	8	8	8	8	8
G124.0	4	4	4	5	5	5	6	6	6	6	6	6	6
G125.0	3	3	3	4	4	4	4	4	4	5	5	5	5
G126.0	2	2	2	2	3	3	3	3	3	3	3	3	3
G127.0	1	2	2	2	2	2	2	2	2	2	2	2	2
G128.0	1	1	1	1	1	1	1	1	1	1	1	2	2
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G133.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G134.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G135.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G136.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G137.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G138.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G139.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G140.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G141.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G142.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G143.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G144.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G145.0	1	1	1	1	1	1	1	1	1	1	1	1	1



**Luminaire**Code 5487  
Name PUCK WALL ART LED**Measur.**Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 8/18**

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 73.0	165	165	164	164	164	163	164	164	164	165	165	165	165
G 74.0	161	161	161	160	160	159	160	160	161	161	161	161	162
G 75.0	156	156	156	155	155	154	155	155	156	156	156	157	157
G 76.0	150	150	149	149	149	148	149	149	149	150	150	150	150
G 77.0	142	142	142	142	141	141	141	142	142	142	142	142	142
G 78.0	134	134	133	133	133	133	133	133	133	134	134	134	134
G 79.0	125	125	125	125	124	124	124	125	125	125	125	125	125
G 80.0	116	116	116	116	116	115	116	116	116	116	116	116	116
G 81.0	108	108	108	108	107	107	107	108	108	108	108	108	108
G 82.0	100	100	100	100	100	100	100	100	100	100	100	100	100
G 83.0	92	92	93	93	93	93	93	93	93	92	92	92	92
G 84.0	85	85	86	86	86	87	86	86	86	85	85	85	85
G 85.0	79	79	80	80	81	81	81	80	80	79	79	79	79
G 86.0	74	75	75	76	76	76	76	75	75	74	74	74	74
G 87.0	70	71	71	72	72	73	72	72	71	71	70	70	70
G 88.0	67	68	68	68	69	69	69	68	68	68	67	67	67
G 89.0	65	65	65	65	66	66	66	65	65	65	65	65	65
G 90.0	63	63	63	63	63	63	63	63	63	63	63	63	63
G 91.0	61	61	61	61	61	61	61	61	61	61	61	61	61
G 92.0	60	60	60	60	60	60	60	60	60	60	60	60	59
G 93.0	58	58	58	58	58	58	58	58	58	58	58	58	58
G 94.0	57	57	57	57	57	57	57	57	57	57	57	56	56
G 95.0	55	55	55	55	56	56	55	55	55	55	55	55	55
G 96.0	54	54	54	54	54	54	54	54	54	54	54	54	53
G 97.0	52	52	53	53	53	53	53	53	53	52	52	52	52
G 98.0	51	51	51	51	51	51	51	51	51	51	51	51	50
G 99.0	49	49	49	49	49	49	49	49	49	49	49	49	49
G100.0	48	48	48	48	48	48	48	48	48	48	48	48	48
G101.0	47	47	47	46	46	46	46	46	47	47	47	47	47
G102.0	46	46	45	45	45	45	45	45	45	46	46	46	46
G103.0	44	44	44	44	44	44	44	44	44	44	44	44	44
G104.0	42	42	42	42	42	42	42	42	42	42	42	42	42
G105.0	40	40	40	40	40	41	40	40	40	40	40	40	40
G106.0	39	39	39	39	39	39	39	39	39	39	39	38	38
G107.0	37	37	37	38	38	38	38	38	37	37	37	37	37
G108.0	36	36	36	36	36	36	36	36	36	36	36	36	35
G109.0	34	34	34	34	34	34	34	34	34	34	34	34	34
G110.0	32	32	32	32	32	32	32	32	32	32	32	32	32
G111.0	31	31	31	31	31	31	31	31	31	31	31	31	31
G112.0	29	29	29	29	29	29	29	29	29	29	29	29	29
G113.0	28	28	28	28	28	28	28	28	28	28	28	27	27
G114.0	26	26	26	26	26	26	26	26	26	26	26	26	26
G115.0	24	24	24	24	24	24	24	24	24	24	24	24	24
G116.0	22	22	23	23	23	23	23	23	23	22	22	22	22
G117.0	20	21	21	21	21	21	21	21	21	21	20	20	20
G118.0	18	18	19	19	19	19	19	19	19	18	18	18	18
G119.0	16	16	16	16	16	16	16	16	16	16	16	16	16
G120.0	14	14	14	14	14	14	14	14	14	14	14	14	14
G121.0	12	12	12	12	12	12	12	12	12	12	12	12	12
G122.0	10	10	10	10	10	10	10	10	10	10	10	10	10
G123.0	8	8	8	8	8	8	8	8	8	8	8	8	8
G124.0	6	6	7	7	7	7	7	7	7	6	6	6	6
G125.0	5	5	5	5	5	5	5	5	5	5	5	5	5
G126.0	4	4	4	4	4	4	4	4	4	4	4	3	3
G127.0	2	2	3	3	3	3	3	3	3	2	2	2	2
G128.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G133.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G134.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G135.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G136.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G137.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G138.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G139.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G140.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G141.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G142.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G143.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G144.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G145.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**Code 5487  
Name PUCK WALL ART LED**Measur.**Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 9/18**

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 73.0	165	165	165	165	164	164	163	163	162	162	161	162	162
G 74.0	162	162	161	161	161	160	160	159	158	158	157	158	158
G 75.0	157	157	156	156	156	155	155	154	153	152	152	152	153
G 76.0	150	150	150	150	149	149	148	147	147	146	145	146	147
G 77.0	142	142	142	142	141	141	140	140	139	139	138	139	139
G 78.0	134	134	133	133	133	132	132	131	130	130	129	130	130
G 79.0	125	125	125	124	124	123	123	122	121	121	120	121	121
G 80.0	116	116	116	115	115	114	114	113	112	112	111	112	112
G 81.0	108	108	107	107	107	106	106	105	104	104	103	104	104
G 82.0	99	99	99	99	99	98	98	98	97	97	97	97	97
G 83.0	92	91	91	91	91	91	91	91	91	90	90	90	91
G 84.0	84	84	84	84	84	84	84	84	84	84	84	84	84
G 85.0	78	78	78	78	78	78	78	78	78	78	78	78	78
G 86.0	73	73	73	73	73	73	73	73	74	74	74	74	74
G 87.0	70	69	69	69	69	69	70	70	70	70	70	70	70
G 88.0	67	67	67	67	67	67	67	67	67	67	67	67	67
G 89.0	65	65	64	64	64	64	64	64	64	64	64	64	64
G 90.0	63	63	63	63	63	62	62	62	62	62	62	62	62
G 91.0	61	61	61	61	61	61	61	61	60	60	60	60	60
G 92.0	59	59	59	59	59	59	59	59	59	59	59	59	59
G 93.0	58	58	58	58	58	57	57	57	57	57	57	57	57
G 94.0	56	56	56	56	56	56	56	56	56	56	56	56	56
G 95.0	55	55	55	54	54	54	54	54	54	54	54	54	54
G 96.0	53	53	53	53	53	53	53	53	53	52	52	52	53
G 97.0	52	52	52	52	51	51	51	51	51	51	51	51	51
G 98.0	50	50	50	50	50	50	50	50	50	50	50	50	50
G 99.0	49	49	49	49	49	49	49	48	48	48	48	48	48
G100.0	48	48	48	48	47	47	47	47	47	47	47	47	47
G101.0	47	47	47	47	46	46	46	46	46	45	45	45	46
G102.0	46	46	46	46	45	45	45	44	44	44	43	44	44
G103.0	44	44	44	44	44	43	43	43	42	42	42	42	42
G104.0	42	42	42	42	42	41	41	41	41	40	40	40	41
G105.0	40	40	40	40	39	39	39	39	39	39	38	39	39
G106.0	38	38	38	38	38	38	37	37	37	37	37	37	37
G107.0	37	37	36	36	36	36	36	36	36	36	35	36	36
G108.0	35	35	35	35	35	35	34	34	34	34	34	34	34
G109.0	34	34	34	33	33	33	33	33	32	32	32	32	32
G110.0	32	32	32	32	32	31	31	31	31	30	30	30	31
G111.0	31	31	30	30	30	30	29	29	29	28	28	28	29
G112.0	29	29	29	28	28	28	28	27	27	27	26	27	27
G113.0	27	27	27	27	26	26	26	25	25	25	24	25	25
G114.0	25	25	25	25	24	24	24	23	23	23	22	23	23
G115.0	24	23	23	23	23	22	22	21	21	21	20	21	21
G116.0	22	22	21	21	21	20	20	19	19	19	18	19	19
G117.0	20	20	19	19	19	18	18	18	17	17	16	17	17
G118.0	18	18	17	17	17	16	16	16	15	15	14	15	15
G119.0	16	16	15	15	15	14	14	14	13	13	12	13	13
G120.0	14	14	13	13	13	12	12	12	11	11	10	11	11
G121.0	12	12	11	11	11	10	10	10	9	9	8	9	9
G122.0	10	10	9	9	9	9	8	8	7	7	7	7	7
G123.0	8	8	8	7	7	7	7	6	6	6	5	6	6
G124.0	6	6	6	6	6	5	5	5	4	4	4	4	4
G125.0	5	5	4	4	4	4	4	4	3	3	3	3	3
G126.0	3	3	3	3	3	3	3	2	2	2	2	2	2
G127.0	2	2	2	2	2	2	2	2	2	2	1	2	2
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G133.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G134.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G135.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G136.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G137.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G138.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G139.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G140.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G141.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G142.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G143.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G144.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G145.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux		1131.19 lm		Luminaire Power		40.47 W		Efficacy		27.95 lm/W		Efficiency		100.00%	
Sources Flux		1131.19 lm		Maximum value		203.80 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 10/18															
	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00		
G 73.0	163	163	164	164	165	165	165	165	165	165	165	165	165	165	164
G 74.0	159	160	160	161	161	161	162	162	162	161	161	161	161	161	161
G 75.0	154	155	155	156	156	156	157	157	157	157	156	156	156	156	156
G 76.0	147	148	149	149	150	150	150	150	150	150	150	150	150	149	149
G 77.0	140	140	141	141	142	142	142	142	142	142	142	142	142	142	142
G 78.0	131	132	132	133	133	133	134	134	134	134	134	134	134	134	133
G 79.0	122	123	123	124	124	125	125	125	125	125	125	125	125	125	125
G 80.0	113	114	114	115	115	116	116	116	116	116	116	116	116	116	116
G 81.0	105	106	106	107	107	107	108	108	108	108	108	108	108	108	108
G 82.0	98	98	98	99	99	99	99	99	100	100	100	100	100	100	100
G 83.0	91	91	91	91	91	91	91	91	92	92	92	92	92	92	93
G 84.0	84	84	84	84	84	84	84	84	85	85	85	85	85	85	86
G 85.0	78	78	78	78	78	78	78	78	79	79	79	79	79	79	80
G 86.0	73	73	73	73	73	73	73	73	74	74	74	74	75	75	75
G 87.0	70	70	69	69	69	69	69	70	70	70	70	70	71	71	71
G 88.0	67	67	67	67	67	67	67	67	67	67	67	67	68	68	68
G 89.0	64	64	64	64	64	64	65	65	65	65	65	65	65	65	65
G 90.0	62	62	62	63	63	63	63	63	63	63	63	63	63	63	63
G 91.0	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61
G 92.0	59	59	59	59	59	59	59	59	59	60	60	60	60	60	60
G 93.0	57	57	57	58	58	58	58	58	58	58	58	58	58	58	58
G 94.0	56	56	56	56	56	56	56	56	56	56	57	57	57	57	57
G 95.0	54	54	54	54	54	55	55	55	55	55	55	55	55	55	55
G 96.0	53	53	53	53	53	53	53	53	53	54	54	54	54	54	54
G 97.0	51	51	51	51	52	52	52	52	52	52	52	52	52	53	53
G 98.0	50	50	50	50	50	50	50	50	50	51	51	51	51	51	51
G 99.0	48	49	49	49	49	49	49	49	49	49	49	49	49	49	49
G100.0	47	47	47	47	48	48	48	48	48	48	48	48	48	48	48
G101.0	46	46	46	46	47	47	47	47	47	47	47	47	47	47	47
G102.0	44	45	45	45	46	46	46	46	46	46	46	46	46	45	45
G103.0	43	43	43	44	44	44	44	44	44	44	44	44	44	44	44
G104.0	41	41	41	42	42	42	42	42	42	42	42	42	42	42	42
G105.0	39	39	39	39	40	40	40	40	40	40	40	40	40	40	40
G106.0	37	37	38	38	38	38	38	38	38	38	39	39	39	39	39
G107.0	36	36	36	36	36	36	37	37	37	37	37	37	37	37	37
G108.0	34	34	35	35	35	35	35	35	35	36	36	36	36	36	36
G109.0	33	33	33	33	33	34	34	34	34	34	34	34	34	34	34
G110.0	31	31	31	32	32	32	32	32	32	32	32	32	32	32	32
G111.0	29	29	30	30	30	30	31	31	31	31	31	31	31	31	31
G112.0	27	28	28	28	28	29	29	29	29	29	29	29	29	29	29
G113.0	25	26	26	26	27	27	27	27	27	27	28	28	28	28	28
G114.0	23	24	24	24	25	25	25	25	26	26	26	26	26	26	26
G115.0	21	22	22	23	23	23	23	24	24	24	24	24	24	24	24
G116.0	19	20	20	21	21	21	22	22	22	22	22	22	22	23	23
G117.0	18	18	18	19	19	19	20	20	20	20	20	21	21	21	21
G118.0	16	16	16	17	17	17	18	18	18	18	18	18	18	19	19
G119.0	14	14	14	15	15	15	16	16	16	16	16	16	16	16	16
G120.0	12	12	12	13	13	13	14	14	14	14	14	14	14	14	14
G121.0	10	10	10	11	11	11	12	12	12	12	12	12	12	12	12
G122.0	8	8	9	9	9	9	10	10	10	10	10	10	10	10	10
G123.0	6	7	7	7	7	8	8	8	8	8	8	8	8	8	8
G124.0	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7
G125.0	4	4	4	4	4	4	5	5	5	5	5	5	5	5	5
G126.0	2	3	3	3	3	3	3	3	3	3	4	4	4	4	4
G127.0	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3
G128.0	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G133.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G134.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G135.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G136.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G137.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G138.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G139.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G140.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G141.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G142.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G143.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G144.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G145.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**Code 5487  
Name PUCK WALL ART LED**Measurem.**Code  
Name 2700K CRI90

Luminaire Flux		1131.19 lm		Luminaire Power		40.47 W		Efficacy		27.95 lm/W		Efficiency		100.00%	
Sources Flux		1131.19 lm		Maximum value		203.80 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 11/18															
	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00		
G 73.0	164	164	163	164	164	164	165	165	165	165	165	165	165	165	165
G 74.0	160	160	159	160	160	161	161	161	161	162	162	162	162	161	161
G 75.0	155	155	154	155	155	156	156	156	157	157	157	157	157	156	156
G 76.0	149	149	148	149	149	149	150	150	150	150	150	150	150	150	150
G 77.0	142	141	141	141	142	142	142	142	142	142	142	142	142	142	142
G 78.0	133	133	133	133	133	133	134	134	134	134	134	134	134	133	133
G 79.0	125	124	124	124	125	125	125	125	125	125	125	125	125	125	125
G 80.0	116	116	115	116	116	116	116	116	116	116	116	116	116	116	116
G 81.0	108	107	107	107	108	108	108	108	108	108	108	108	108	107	107
G 82.0	100	100	100	100	100	100	100	100	100	100	99	99	99	99	99
G 83.0	93	93	93	93	93	93	92	92	92	92	92	92	91	91	91
G 84.0	86	86	87	86	86	86	85	85	85	85	84	84	84	84	84
G 85.0	80	81	81	81	80	80	79	79	79	79	78	78	78	78	78
G 86.0	76	76	76	76	76	75	75	74	74	74	73	73	73	73	73
G 87.0	72	72	73	72	72	71	71	70	70	70	69	69	69	69	69
G 88.0	68	69	69	69	68	68	68	67	67	67	67	67	67	67	67
G 89.0	65	66	66	66	65	65	65	65	65	65	65	65	65	64	64
G 90.0	63	63	63	63	63	63	63	63	63	63	63	63	63	63	63
G 91.0	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61
G 92.0	60	60	60	60	60	60	60	60	60	59	59	59	59	59	59
G 93.0	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58
G 94.0	57	57	57	57	57	57	57	57	56	56	56	56	56	56	56
G 95.0	55	56	56	56	55	55	55	55	55	55	55	55	55	55	55
G 96.0	54	54	54	54	54	54	54	54	54	53	53	53	53	53	53
G 97.0	53	53	53	53	53	53	52	52	52	52	52	52	52	52	52
G 98.0	51	51	51	51	51	51	51	51	51	50	50	50	50	50	50
G 99.0	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49
G100.0	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
G101.0	46	46	46	46	46	46	47	47	47	47	47	47	47	47	47
G102.0	45	45	45	45	45	45	46	46	46	46	46	46	46	46	46
G103.0	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44
G104.0	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42
G105.0	40	40	41	40	40	40	40	40	40	40	40	40	40	40	40
G106.0	39	39	39	39	39	39	39	39	38	38	38	38	38	38	38
G107.0	38	38	38	38	38	37	37	37	37	37	37	37	37	36	36
G108.0	36	36	36	36	36	36	36	36	36	35	35	35	35	35	35
G109.0	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
G110.0	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
G111.0	31	31	31	31	31	31	31	31	31	31	31	31	31	30	30
G112.0	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29
G113.0	28	28	28	28	28	28	28	28	27	27	27	27	27	27	27
G114.0	26	26	26	26	26	26	26	26	26	26	25	25	25	25	25
G115.0	24	24	24	24	24	24	24	24	24	24	24	24	23	23	23
G116.0	23	23	23	23	23	23	22	22	22	22	22	22	22	21	21
G117.0	21	21	21	21	21	21	21	20	20	20	20	20	20	19	19
G118.0	19	19	19	19	19	19	18	18	18	18	18	18	18	17	17
G119.0	16	16	16	16	16	16	16	16	16	16	16	16	16	15	15
G120.0	14	14	14	14	14	14	14	14	14	14	14	14	14	13	13
G121.0	12	12	12	12	12	12	12	12	12	12	12	12	12	11	11
G122.0	10	10	10	10	10	10	10	10	10	10	10	10	10	9	9
G123.0	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
G124.0	7	7	7	7	7	7	6	6	6	6	6	6	6	6	6
G125.0	5	5	5	5	5	5	5	5	5	5	5	5	5	4	4
G126.0	4	4	4	4	4	4	4	4	3	3	3	3	3	3	3
G127.0	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2
G128.0	2	2	2	2	2	2	2	2	2	2	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G133.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G134.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G135.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G136.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G137.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G138.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G139.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G140.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G141.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G142.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G143.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G144.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G145.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 12/18**

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 73.0	165	164	164	163	163	162	162
G 74.0	161	161	160	160	159	158	158
G 75.0	156	156	155	155	154	153	152
G 76.0	150	149	149	148	147	147	146
G 77.0	142	141	141	140	140	139	139
G 78.0	133	133	132	132	131	130	130
G 79.0	124	124	123	123	122	121	121
G 80.0	115	115	114	114	113	112	112
G 81.0	107	107	106	106	105	104	104
G 82.0	99	99	98	98	98	97	97
G 83.0	91	91	91	91	91	91	90
G 84.0	84	84	84	84	84	84	84
G 85.0	78	78	78	78	78	78	78
G 86.0	73	73	73	73	73	74	74
G 87.0	69	69	69	70	70	70	70
G 88.0	67	67	67	67	67	67	67
G 89.0	64	64	64	64	64	64	64
G 90.0	63	63	62	62	62	62	62
G 91.0	61	61	61	61	61	60	60
G 92.0	59	59	59	59	59	59	59
G 93.0	58	58	57	57	57	57	57
G 94.0	56	56	56	56	56	56	56
G 95.0	54	54	54	54	54	54	54
G 96.0	53	53	53	53	53	53	52
G 97.0	52	51	51	51	51	51	51
G 98.0	50	50	50	50	50	50	50
G 99.0	49	49	49	49	48	48	48
G100.0	48	47	47	47	47	47	47
G101.0	47	46	46	46	46	46	45
G102.0	46	45	45	45	44	44	44
G103.0	44	44	43	43	43	42	42
G104.0	42	42	41	41	41	41	40
G105.0	40	39	39	39	39	39	39
G106.0	38	38	38	37	37	37	37
G107.0	36	36	36	36	36	36	36
G108.0	35	35	35	34	34	34	34
G109.0	33	33	33	33	33	32	32
G110.0	32	32	31	31	31	31	30
G111.0	30	30	30	29	29	29	28
G112.0	28	28	28	28	27	27	27
G113.0	27	26	26	26	25	25	25
G114.0	25	24	24	24	23	23	23
G115.0	23	23	22	22	21	21	21
G116.0	21	21	20	20	19	19	19
G117.0	19	19	18	18	18	17	17
G118.0	17	17	16	16	16	15	15
G119.0	15	15	14	14	14	13	13
G120.0	13	13	12	12	12	11	11
G121.0	11	11	10	10	10	9	9
G122.0	9	9	9	8	8	7	7
G123.0	7	7	7	7	6	6	6
G124.0	6	6	5	5	5	4	4
G125.0	4	4	4	4	4	3	3
G126.0	3	3	3	3	2	2	2
G127.0	2	2	2	2	2	2	2
G128.0	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1
G132.0	1	1	1	1	1	1	1
G133.0	1	1	1	1	1	1	1
G134.0	1	1	1	1	1	1	1
G135.0	1	1	1	1	1	1	1
G136.0	1	1	1	1	1	1	1
G137.0	1	1	1	1	1	1	1
G138.0	1	1	1	1	1	1	1
G139.0	1	1	1	1	1	1	1
G140.0	1	1	1	1	1	1	1
G141.0	1	1	1	1	1	1	1
G142.0	1	1	1	1	1	1	1
G143.0	1	1	1	1	1	1	1
G144.0	1	1	1	1	1	1	1
G145.0	1	1	1	1	1	1	1

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 13/18**

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G146.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G147.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G148.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G149.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G150.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G151.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G152.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G153.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G154.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G155.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G156.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 14/18**

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G146.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G147.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G148.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G149.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G150.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G151.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G152.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G153.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G154.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G155.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G156.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 15/18**

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G146.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G147.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G148.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G149.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G150.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G151.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G152.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G153.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G154.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G155.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G156.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1



**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 16/18**

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G146.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G147.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G148.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G149.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G150.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G151.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G152.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G153.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G154.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G155.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G156.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**Luminous Intensity Table cd Table 17/18**

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G146.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G147.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G148.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G149.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G150.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G151.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G152.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G153.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G154.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G155.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G156.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measur.**

Code  
Name 2700K CR190

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

**Luminous Intensity Table cd Table 18/18**

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G146.0	1	1	1	1	1	1	1
G147.0	1	1	1	1	1	1	1
G148.0	1	1	1	1	1	1	1
G149.0	1	1	1	1	1	1	1
G150.0	1	1	1	1	1	1	1
G151.0	1	1	1	1	1	1	1
G152.0	1	1	1	1	1	1	1
G153.0	1	1	1	1	1	1	1
G154.0	1	1	1	1	1	1	1
G155.0	1	1	1	1	1	1	1
G156.0	1	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1



**Luminaire**  
 Code 5487  
 Name PUCK WALL ART LED  
**Measur.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=870mm

Semiplanos C

180.0 ————— 0.0  
 270.0 ————— 90.0



**Luminaire**


Code 5487  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90


Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=870mm



Semiplanos C

180.0 ————— 0.0  
270.0 ————— 90.0



**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

**UGR**  
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	Viewed Crosswise					Viewed Endwise				
x=2H y=2H	10.2	11.6	10.6	12.0	12.5	10.2	11.6	10.7	12.0	12.5
x=2H y=3H	13.4	14.7	13.9	15.2	15.7	13.5	14.8	14.0	15.2	15.8
x=2H y=4H	15.0	16.2	15.5	16.7	17.3	15.1	16.3	15.6	16.8	17.4
x=2H y=6H	16.3	17.5	16.9	18.0	18.6	16.4	17.6	17.0	18.1	18.7
x=2H y=8H	16.9	18.0	17.4	18.5	19.1	17.0	18.1	17.6	18.6	19.2
x=2H y=12H	17.5	18.5	18.0	19.1	19.7	17.6	18.7	18.2	19.2	19.8
x=4H y=2H	11.4	12.7	12.0	13.2	13.7	11.5	12.7	12.0	13.2	13.7
x=4H y=3H	14.8	15.8	15.3	16.4	17.0	14.8	15.9	15.4	16.4	17.0
x=4H y=4H	16.5	17.4	17.0	18.0	18.6	16.5	17.5	17.1	18.1	18.7
x=4H y=6H	17.9	18.8	18.5	19.4	20.0	18.0	18.9	18.6	19.4	20.1
x=4H y=8H	18.5	19.3	19.1	19.9	20.6	18.6	19.4	19.3	20.0	20.7
x=4H y=12H	19.2	19.9	19.8	20.5	21.2	19.3	20.0	19.9	20.6	21.3
x=8H y=4H	17.2	18.0	17.8	18.6	19.3	17.2	18.0	17.9	18.6	19.3
x=8H y=6H	18.8	19.5	19.5	20.1	20.8	18.9	19.6	19.5	20.2	20.9
x=8H y=8H	19.6	20.2	20.2	20.8	21.5	19.7	20.3	20.3	20.9	21.6
x=8H y=12H	20.4	20.9	21.0	21.5	22.3	20.5	21.0	21.1	21.6	22.4
x=12H y=4H	17.3	18.1	17.9	18.7	19.4	17.4	18.1	18.0	18.7	19.4
x=12H y=6H	19.0	19.6	19.7	20.3	21.0	19.1	19.7	19.7	20.3	21.1
x=12H y=8H	19.9	20.4	20.5	21.0	21.8	19.9	20.5	20.6	21.1	21.9

**Luminaire**

Code 5487  
Name PUCK WALL ART LED

**Measurem.**

Code  
Name 2700K CRI90


Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	6.47	12.94	19.41	25.88	32.35	OC	6.89	13.78	20.67	27.56	34.45
OB	6.47	12.94	19.41	25.88	32.35	OD	6.89	13.78	20.67	27.56	34.45

Luminous Intensities [ cd]

	0	5	15	25	35	45	55	65	75	85
OA	203.80	203.06	198.96	191.23	182.52	177.40	175.14	176.68	151.69	78.35
OB	203.80	203.06	198.96	191.23	182.52	177.40	175.14	176.68	151.69	78.35
OC	203.80	203.34	198.98	191.27	182.64	177.97	176.51	178.09	154.49	81.03
OD	203.80	203.34	198.98	191.27	182.64	177.97	176.51	178.09	154.49	81.03



H[m]	D[m]	Max lux	Med lux	Alpha=81.2°+81.2°	G=0.0	
1.00	12.94	204	5			
2.00	25.88	51	1			
3.00	38.82	23	1			
4.00	51.76	13	0			
5.00	64.70	8	0			

H[m]	D[m]	Max lux	Med lux	Beta=81.7°+81.7°	G=0.0	
1.00	13.78	204	5			
2.00	27.56	51	1			
3.00	41.35	23	1			
4.00	55.13	13	0			
5.00	68.91	8	0			

**Luminaire**  
Code 5487  
Name PUCK WALL ART LED  
**Measur.**  
Code  
Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG Asymmetrical	


Flujo Total=1131.19 Flujo Luminaria=1131.19

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.19	0.26	0.32	0.38	0.44	0.53	0.59	0.64	0.71	0.76	0.86	0.93
RC	8	8	8	8	8	8	8	8	8	7	7	7

Flujo Zonal por 1000 Lúmenes																		
Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	17	67	145	246	368	508	664	804	884	937	974	994	999	999	999	1000	1000	1000

Códigos de Flujo C.I.E.  
30 58 85 88 100

C.I.E.	8/8/8/8/8/8/8/7/7/7	LOR	100.00000 %
D DIN 5040	B11	ULOR	11.59724 %
F UTE	0.88 H + 0.12 T	DLOR	88.40276 %
B NBN	BZ 7 / 2 / BZ 6	UFF	11.59724 %
RN	11.59724 %	DFF	88.40276 %
BLF	1.0	FFR	13.11865 %



Flujo Zonal				
Gamma °	Flujo	Suma lm	Flujo [%]	Suma [%]
0°	0.00	0.00	0.00%	0.00 %
5°	4.30	4.30	0.43 %	0.43 %
10°	12.81	17.11	1.28 %	1.71 %
15°	21.02	38.13	2.10 %	3.81 %
20°	28.76	66.88	2.88 %	6.69 %
25°	35.88	102.76	3.59 %	10.28 %
30°	42.30	145.06	4.23 %	14.51 %
35°	48.05	193.10	4.80 %	19.31 %
40°	53.40	246.50	5.34 %	24.65 %
45°	58.44	304.94	5.84 %	30.49 %
50°	63.40	368.34	6.34 %	36.83 %
55°	67.80	436.14	6.78 %	43.61 %
60°	72.35	508.49	7.23 %	50.85 %
65°	76.69	585.18	7.67 %	58.52 %
70°	78.60	663.78	7.86 %	66.38 %
75°	76.23	740.01	7.62 %	74.00 %
80°	64.47	804.48	6.45 %	80.45 %
85°	45.98	850.47	4.60 %	85.05 %
90°	33.56	884.03	3.36 %	88.40 %
95°	28.35	912.38	2.83 %	91.24 %
100°	24.54	936.91	2.45 %	93.69 %
105°	20.87	957.78	2.09 %	95.78 %
110°	16.55	974.33	1.65 %	97.43 %
115°	12.32	986.64	1.23 %	98.66 %
120°	7.82	994.46	0.78 %	99.45 %
125°	3.42	997.87	0.34 %	99.79 %
130°	0.79	998.67	0.08 %	99.87 %
135°	0.24	998.90	0.02 %	99.89 %
140°	0.21	999.11	0.02 %	99.91 %
145°	0.19	999.30	0.02 %	99.93 %
150°	0.17	999.47	0.02 %	99.95 %
155°	0.15	999.61	0.01 %	99.96 %
160°	0.13	999.74	0.01 %	99.97 %
165°	0.10	999.84	0.01 %	99.98 %
170°	0.08	999.93	0.01 %	99.99 %
175°	0.06	999.98	0.01 %	100.00 %
180°	0.02	1000.00	0.00 %	100.00 %



**Luminaire**  
 Code 5487  
 Name PUCK WALL ART LED  
**Measurem.**  
 Code  
 Name 2700K CRI90

Luminaire Flux	1131.19 lm	Luminaire Power	40.47 W	Efficacy	27.95 lm/W	Efficiency	100.00%
Sources Flux	1131.19 lm	Maximum value	203.80 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.50m

