


Luminaire		Measurem.		Lamp		
Code	7753	Code	7753	Code	1 led 350mA 7.35W	
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1	
Line	VIBIA-Set	Date	28-01-2014	Position	Universal	
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm	
Maximum value	248.79 cd/klm	Position	C=290.00 G=160.00	Asymmetrical		
Rectangular Luminaire	Length	98 mm	Width	175 mm	Height	32 mm
Rectangular Luminous Area	Length	55 mm	Width	45 mm	Height	0 mm
Horizontal Luminous Area	0.002475 m2	Emitting area on Plane 180°		0.000000 m2		
Emitting area on Plane 0°	0.000000 m2	Emitting area on Plane 270°		0.000000 m2		
Emitting area on Plane 90°	0.000000 m2	Glare area at 76°		0.000599 m2		
Symmetry Type	Asymmetrical	Maximum Gamma Angle		180		
Measurement Distance	0.00	Measurement Flux		714.00 lm		
Operator	Asselum	Source voltage		230.00 V		
Temperature	20.00 °C	Source current				
Humidity	50.00 %	Photocell				
Notes	1 * Type of lamp = 518 lm					

Line						Luminaire Lamps						
- VIBIA						Code	Name	Flux [lm]	Pow. [W]	Q.ty		
						1 led 350mA 7.35W	1 led 350mA 7.35W	714.00	7.00	1		
C.I.E.	36	68	89	13	56		D DIN 5040		D23			
F UTE	0.07	G	0.49	T			B NBN		BZ 6			

98mm x 175mm



C Halfplanes


180.0 — 0.0

270.0 — 90.0

ULOR 48.72 %

DLOR 7.06 %

RN 87.34 %



Luminaire				Measurem.				Lamp							
Code	7753			Code	7753			Code	1 led 350mA 7.35W						
Name	Small wall lamp 4 reflectors			Name	Small wall lamp 4 reflectors			Number	1						
Line	VIBIA-Set			Date	28-01-2014			Position	Universal						
Efficiency				55.78%				Coordinate system		CG		Total Flux		714.00 lm	
Luminous Intensity Table cd/klm										Table 1/3					
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	C 100.00	C 110.00	C 120.00		
G 0.0	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15		
G 10.0	11.93	12.14	13.14	14.05	15.03	15.66	16.77	17.15	17.83	17.90	17.69	17.31	17.55		
G 20.0	11.06	12.48	14.56	16.38	17.80	18.72	19.46	19.54	19.98	19.41	19.82	19.49	19.70		
G 30.0	11.06	13.20	15.77	17.14	18.44	18.91	19.26	19.31	19.68	19.08	19.53	19.85	20.14		
G 40.0	11.06	12.37	14.47	15.81	16.17	16.57	16.93	16.21	16.60	16.83	18.03	18.46	18.89		
G 50.0	10.47	11.87	13.00	13.43	13.87	14.96	15.55	14.60	14.20	14.60	15.05	15.42	16.12		
G 60.0	10.49	11.14	11.41	11.17	11.12	11.96	12.50	11.71	11.11	11.87	12.45	12.59	12.27		
G 70.0	8.68	8.57	8.47	8.85	8.87	8.73	8.16	8.78	8.04	7.47	8.18	8.43	8.68		
G 80.0	4.68	4.99	5.48	4.97	4.95	4.81	4.53	4.78	4.34	4.10	4.54	4.62	4.45		
G 90.0	3.84	3.91	4.30	4.15	3.84	3.67	3.47	3.25	3.01	3.08	3.05	3.28	3.98		
G100.0	12.93	13.46	13.71	14.14	14.59	13.85	11.62	11.84	12.32	12.96	12.42	12.03	13.78		
G110.0	30.25	30.80	30.81	31.45	32.47	33.01	30.49	30.50	31.02	31.68	31.56	29.87	30.61		
G120.0	53.83	52.60	55.71	57.38	57.54	58.46	57.38	59.63	61.26	61.11	58.55	55.67	57.86		
G130.0	67.96	55.01	72.00	94.99	101.88	102.80	101.94	103.37	105.01	106.56	105.70	101.69	102.71		
G140.0	80.70	50.99	71.85	122.10	153.42	162.48	162.03	161.36	160.40	158.18	158.25	157.46	158.30		
G150.0	105.49	73.90	87.91	132.71	180.00	203.86	210.24	212.83	214.09	213.24	210.38	208.49	204.01		
G160.0	131.83	110.78	110.66	131.63	169.30	201.12	219.43	229.78	235.80	237.09	234.42	229.67	213.60		
G170.0	142.17	130.20	119.83	115.28	117.72	125.07	134.33	143.78	150.57	153.19	149.53	143.55	131.68		
G180.0	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76		

Luminaire				Measurem.				Lamp					
Code	7753			Code	7753			Code	1 led 350mA 7.35W				
Name	Small wall lamp 4 reflectors			Name	Small wall lamp 4 reflectors			Number	1				
Line	VIBIA-Set			Date	28-01-2014			Position	Universal				
Efficiency	55.78%			Coordinate system	CG			Total Flux	714.00 lm				
Luminous Intensity Table cd/klm								Table 2/3					
	C 130.00	C 140.00	C 150.00	C 160.00	C 170.00	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00
G 0.0	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
G 10.0	17.19	16.19	15.73	15.07	13.79	13.11	12.55	12.68	12.20	12.54	12.47	13.49	13.69
G 20.0	19.64	18.93	18.33	16.98	15.38	14.03	13.12	12.99	13.38	14.97	15.86	17.41	18.07
G 30.0	20.21	19.88	18.55	16.96	14.79	13.66	12.67	13.54	15.07	16.87	18.53	18.70	18.69
G 40.0	18.70	18.91	18.10	16.86	14.30	12.34	12.06	13.91	16.30	17.64	18.38	18.38	18.12
G 50.0	17.02	16.51	15.89	15.31	14.19	11.94	11.33	12.28	14.83	15.98	16.17	16.52	16.68
G 60.0	13.00	13.11	13.22	12.27	11.25	11.07	11.44	11.77	12.33	11.88	12.40	13.36	13.03
G 70.0	9.12	9.18	8.95	8.93	8.72	7.99	9.22	9.84	9.31	8.39	9.04	9.77	8.49
G 80.0	4.88	5.24	5.00	5.10	5.27	4.60	5.76	6.45	5.93	5.28	5.28	5.73	4.81
G 90.0	4.23	4.38	4.48	4.44	4.13	3.61	4.49	4.95	4.46	4.52	4.42	4.06	3.77
G100.0	14.24	14.28	14.06	13.47	12.35	11.79	13.38	13.95	13.98	13.74	13.95	13.40	13.06
G110.0	31.93	32.49	32.90	31.75	30.63	30.73	31.75	31.10	30.91	30.86	31.38	31.16	31.70
G120.0	59.15	59.61	60.77	57.96	57.26	59.31	58.82	57.31	56.11	57.37	56.65	56.73	57.56
G130.0	103.33	103.20	103.05	90.02	78.37	84.79	99.22	104.29	102.68	102.75	99.65	101.34	101.69
G140.0	156.03	152.26	134.17	91.82	67.91	89.44	133.71	156.61	157.30	160.30	157.37	157.36	156.43
G150.0	194.18	168.51	125.12	79.36	71.95	103.27	154.75	191.69	204.45	208.38	209.93	208.95	209.45
G160.0	187.72	148.70	108.99	81.48	78.83	96.09	132.46	172.15	197.23	216.35	230.29	237.66	243.38
G170.0	115.34	97.57	81.98	70.71	66.52	68.83	82.83	102.80	122.82	145.04	165.97	185.31	201.30
G180.0	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76

Luminaire				Measurem.				Lamp					
Code	7753			Code	7753			Code	1 led 350mA 7.35W				
Name	Small wall lamp 4 reflectors			Name	Small wall lamp 4 reflectors			Number	1				
Line	VIBIA-Set			Date	28-01-2014			Position	Universal				
Efficiency	55.78%			Coordinate system	CG			Total Flux	714.00 lm				
Luminous Intensity Table cd/klm								Table 3/3					
	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00	C 260.00	C 270.00	C 280.00	C 290.00	C 300.00
G 0.0	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15	13.15
G 10.0	13.11	12.55	12.68	12.20	12.54	12.47	13.49	13.69	14.31	14.23	14.18	13.85	13.71
G 20.0	14.03	13.12	12.99	13.38	14.97	15.86	17.41	18.07	19.06	18.82	18.92	18.63	17.55
G 30.0	13.66	12.67	13.54	15.07	16.87	18.53	18.70	18.69	19.90	19.51	20.16	20.67	19.73
G 40.0	12.34	12.06	13.91	16.30	17.64	18.38	18.38	18.12	18.27	18.45	18.74	18.82	18.88
G 50.0	11.94	11.33	12.28	14.83	15.98	16.17	16.52	16.68	15.95	16.22	16.36	16.46	16.35
G 60.0	11.07	11.44	11.77	12.33	11.88	12.40	13.36	13.03	12.29	12.21	12.98	12.91	12.28
G 70.0	7.99	9.22	9.84	9.31	8.39	9.04	9.77	8.49	7.81	8.17	8.75	8.10	8.09
G 80.0	4.60	5.76	6.45	5.93	5.28	5.28	5.73	4.81	4.07	4.55	4.74	4.36	4.56
G 90.0	3.61	4.49	4.95	4.46	4.52	4.42	4.06	3.77	3.53	3.88	3.59	3.30	3.78
G100.0	11.79	13.38	13.95	13.98	13.74	13.95	13.40	13.06	13.21	13.36	12.07	12.05	12.72
G110.0	30.73	31.75	31.10	30.91	30.86	31.38	31.16	31.70	31.81	30.69	29.62	29.18	29.24
G120.0	59.31	58.82	57.31	56.11	57.37	56.65	56.73	57.56	58.24	58.22	57.12	56.15	57.86
G130.0	84.79	99.22	104.29	102.68	102.75	99.65	101.34	101.69	102.67	104.23	104.21	103.92	105.31
G140.0	89.44	133.71	156.61	157.30	160.30	157.37	157.36	156.43	160.71	162.08	163.16	162.01	162.05
G150.0	103.27	154.75	191.69	204.45	208.38	209.93	208.95	209.45	211.12	210.57	214.21	213.57	213.33
G160.0	96.09	132.46	172.15	197.23	216.35	230.29	237.66	243.38	246.60	246.39	247.06	248.79	247.17
G170.0	68.83	82.83	102.80	122.82	145.04	165.97	185.31	201.30	214.96	225.32	231.38	235.88	234.86
G180.0	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76	112.76



Luminaire		Measurem.		Lamp	
Code	7753	Code	7753	Code	1 led 350mA 7.35W
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm

98mm x 175mm

C Halfplanes


180.0 ————— 0.0

270.0 ————— 90.0




Luminaire		Measur.		Lamp	
Code	7753	Code	7753	Code	1 led 350mA 7.35W
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm

98mm x 175mm



C Halfplanes

180.0 ————— 0.0
 270.0 ————— 90.0



Luminaire		Measurem.		Lamp	
Code	7753	Code	7753	Code	1 led 350mA 7.35W
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	10.5	11.1	11.7	12.3	14.6	11.1	11.7	12.3	12.9	14.6
x=2H y=3H	12.6	13.1	13.8	14.3	16.2	12.7	13.3	14.0	14.5	16.2
x=2H y=4H	13.5	14.0	14.7	15.2	16.9	13.5	14.0	14.7	15.2	16.9
x=2H y=6H	14.3	14.8	15.5	16.0	17.5	14.1	14.6	15.3	15.8	17.5
x=2H y=8H	14.7	15.1	15.9	16.3	17.8	14.4	14.9	15.7	16.1	17.8
x=2H y=12H	15.1	15.5	16.3	16.7	18.1	14.8	15.2	16.0	16.4	18.1
x=4H y=2H	11.3	11.8	12.5	13.0	15.1	11.7	12.2	12.9	13.4	15.1
x=4H y=3H	13.5	13.9	14.7	15.1	16.9	13.6	14.0	14.8	15.2	16.9
x=4H y=4H	14.6	15.0	15.9	16.2	17.7	14.4	14.8	15.7	16.0	17.7
x=4H y=6H	15.7	16.0	16.9	17.2	18.5	15.2	15.5	16.4	16.7	18.5
x=4H y=8H	16.1	16.4	17.4	17.7	18.8	15.6	15.8	16.8	17.1	18.8
x=4H y=12H	16.6	16.9	17.9	18.1	19.2	16.0	16.2	17.2	17.5	19.2
x=8H y=4H	15.0	15.3	16.2	16.5	18.1	14.8	15.1	16.1	16.3	18.1
x=8H y=6H	16.3	16.5	17.5	17.7	19.1	15.8	16.1	17.1	17.3	19.1
x=8H y=8H	16.9	17.1	18.2	18.4	19.5	16.3	16.5	17.6	17.8	19.5
x=8H y=12H	17.7	17.8	18.9	19.1	20.1	16.9	17.1	18.2	18.3	20.1
x=12H y=4H	15.0	15.3	16.3	16.5	18.1	14.9	15.1	16.1	16.4	18.1
x=12H y=6H	16.4	16.6	17.6	17.8	19.2	16.0	16.2	17.2	17.4	19.2
x=12H y=8H	17.1	17.3	18.4	18.5	19.8	16.6	16.7	17.8	18.0	19.8

Luminaire		Measurem.		Lamp	
Code	7753	Code	7753	Code	1 led 350mA 7.35W
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm

Total Flux=714.00 Luminaire Flux=398.28

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.23	0.31	0.38	0.45	0.50	0.59	0.65	0.70	0.76	0.79	0.88	0.93
RC	7	7	7	7	7	7	7	7	7	7	7	7


Zonal Flux per 1000 Lumen

Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	1	6	13	24	36	48	58	66	71	80	103	147	217	310	411	497	545	558

CIE Flux Codes
36 68 89 13 56

C.I.E. 7
D DIN 5040 D23
F UTE 0.07 G + 0.49 T
B NBN BZ 6
RN 87.34491 %
BLF 1.0

LOR 55.78163 %
ULOR 48.72241 %
DLOR 7.05922 %
UFF 87.34491 %
DFF 12.65509 %
FFR 690.19572 %




Zonal Flux				
Gamma °	Flux	Sum lm	Flux [%]	Sum [%]
0°	0.00	0.00	0.00 %	0.00 %
5°	0.42	0.42	0.08 %	0.08 %
10°	0.89	1.31	0.16 %	0.23 %
15°	1.73	3.04	0.31 %	0.55 %
20°	2.63	5.67	0.47 %	1.02 %
25°	3.49	9.17	0.63 %	1.64 %
30°	4.29	13.46	0.77 %	2.41 %
35°	5.00	18.45	0.90 %	3.31 %
40°	5.55	24.00	1.00 %	4.30 %
45°	5.94	29.94	1.06 %	5.37 %
50°	6.14	36.08	1.10 %	6.47 %
55°	6.14	42.22	1.10 %	7.57 %
60°	5.93	48.15	1.06 %	8.63 %
65°	5.49	53.64	0.98 %	9.62 %
70°	4.85	58.49	0.87 %	10.49 %
75°	4.06	62.55	0.73 %	11.21 %
80°	3.18	65.73	0.57 %	11.78 %
85°	2.42	68.15	0.43 %	12.22 %
90°	2.44	70.59	0.44 %	12.66 %
95°	3.49	74.08	0.63 %	13.28 %
100°	5.86	79.94	1.05 %	14.33 %
105°	9.49	89.43	1.70 %	16.03 %
110°	13.92	103.36	2.50 %	18.53 %
115°	19.05	122.41	3.42 %	21.94 %
120°	24.99	147.40	4.48 %	26.42 %
125°	31.60	179.00	5.66 %	32.09 %
130°	38.18	217.17	6.84 %	38.93 %
135°	44.25	261.43	7.93 %	46.87 %
140°	48.57	309.99	8.71 %	55.57 %
145°	50.68	360.67	9.09 %	64.66 %
150°	50.06	410.73	8.97 %	73.63 %
155°	46.47	457.20	8.33 %	81.96 %
160°	39.51	496.71	7.08 %	89.04 %
165°	29.62	526.32	5.31 %	94.35 %
170°	18.95	545.27	3.40 %	97.75 %
175°	9.00	554.27	1.61 %	99.36 %
180°	3.55	557.82	0.64 %	100.00 %

Luminaire		Measurem.		Lamp	
Code	7753	Code	7753	Code	1 led 350mA 7.35W
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm

Isolux (Ceiling)

Luminaire position X=0.00m Y=0.00m Z=0.20m



Luminaire				Measurem.				Lamp			
Code	7753			Code	7753			Code	1 led 350mA 7.35W		
Name	Small wall lamp 4 reflectors			Name	Small wall lamp 4 reflectors			Number	1		
Line	VIBIA-Set			Date	28-01-2014			Position	Universal		
Efficiency	55.78%			Coordinate system	CG			Total Flux	714.00 lm		

Utilizations CIE

Mounting	Direct				Normalization				Normalised				Suspension Ratio				b/3				Standard CIE Settings							
	Ceiling																											
K	8873	8773	8871	8771	7773	7771	7753	7553	7751	7551	7731	7331	7711	7111	5551	5531	5331	5511	5111	3331	3311	1111	0000					
0.60	447	402	432	389	382	372	359	305	352	301	339	256	330	225	281	274	242	269	214	229	226	196	183					
0.80	489	449	464	428	427	409	400	350	388	341	373	297	362	264	319	311	281	304	252	266	262	231	217					
1.00	518	482	484	453	458	434	430	384	413	370	397	327	384	295	347	338	310	331	282	294	290	258	244					
1.25	543	512	500	473	487	455	458	416	434	397	418	356	405	324	373	363	338	356	310	321	317	286	271					
1.50	562	533	509	487	508	469	480	441	449	416	433	377	420	347	392	383	359	375	333	343	338	307	292					
2.00	586	563	520	503	537	486	510	478	469	442	454	408	442	380	419	410	390	402	366	373	368	340	325					
2.50	601	582	526	512	555	496	531	503	481	459	468	428	456	403	437	428	411	420	389	394	390	363	348					
3.00	612	595	529	518	569	503	546	521	489	470	477	443	467	420	449	441	426	434	406	410	405	380	365					
4.00	625	612	533	524	586	511	567	547	500	485	490	463	481	443	465	459	446	452	429	431	427	404	390					
5.00	634	623	535	528	597	516	580	563	506	494	498	475	490	458	476	470	459	464	445	445	441	420	406					
10.00	651	646	537	534	620	525	610	600	519	513	514	502	509	492	497	494	488	490	480	475	473	456	443					
20.00	660	657	538	536	631	528	626	621	525	522	523	517	520	511	509	507	504	505	499	492	490	477	464					

Wall

K	8873	8773	8871	8771	7773	7771	7753	7553	7751	7551	7731	7711
0.60	179	155	160	138	142	127	112	87	103	86	54	74
0.80	213	189	185	164	171	149	139	113	125	101	107	72
1.00	239	215	202	183	193	165	161	134	141	118	123	88
1.25	262	240	217	200	214	179	182	156	157	135	139	104
1.50	279	259	227	212	229	190	199	174	168	148	151	118
2.00	303	286	240	227	252	203	224	201	184	166	169	138
2.50	319	304	248	237	267	211	242	220	195	179	181	153
3.00	331	317	253	244	277	217	255	235	203	188	190	165
4.00	346	335	261	253	292	225	273	257	213	202	203	181
5.00	357	347	266	260	302	231	286	271	221	211	211	193
10.00	380	375	277	274	326	244	315	307	238	232	232	221
20.00	395	392	285	283	340	252	334	330	249	245	245	239

Working Pl.


K	8873	8773	8871	8771	7773	7771	7753	7553	7751	7551	7731	7711
0.60	200	174	187	163	158	148	121	96	117	93	95	63
0.80	254	226	234	209	202	188	163	134	156	128	132	92
1.00	296	268	270	246	239	220	199	167	188	159	164	120
1.25	338	311	304	282	275	251	235	203	220	191	196	150
1.50	370	344	330	309	303	275	264	232	246	217	222	176
2.00	416	393	366	348	344	309	309	278	283	257	261	218
2.50	447	427	390	374	372	332	340	312	309	285	289	248
3.00	469	451	407	393	393	348	363	337	327	306	309	272
4.00	499	484	428	417	420	369	396	373	352	335	337	305
5.00	518	506	442	433	438	383	417	397	368	353	355	327
10.00	560	553	470	465	477	411	464	453	403	395	395	379
20.00	582	578	485	482	498	426	491	485	422	418	418	409

LM53 SHR C0-C180: 1.286 SHR C90-C270: 1.817 SHR Square: 1.801

Luminaire		Measur.		Lamp	
Code	7753	Code	7753	Code	1 led 350mA 7.35W
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm


	Average Luminance [cd/m²]										
0.0°	45°	50°	55°	60°	65°	70°	75°	80°	85°	---	
	4379	4697	5286	6051	6783	7318	7504	7767	10962		
90.0°	6397	6552	6759	6848	6627	6303	6326	6804	8997	---	

Flush mounted or longitudinal view												
		Illumination(lx)										
A	A	2000	1000	750	500		<300					1.15
B	1		2000	1500	1000	750	500	<300				1.5
C					2000		1000	500	<300			1.85
D	2						2000	1000	500	<300		2.2
E	3							2000	1000	500	<300	2.55



Luminaire		Measur.		Lamp	
Code	7753	Code	7753	Code	1 led 350mA 7.35W
Name	Small wall lamp 4 reflectors	Name	Small wall lamp 4 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	55.78%	Coordinate system	CG	Total Flux	714.00 lm

Luminance



Luminaire				Measur.				Lamp					
Code	7753			Code	7753			Code	1 led 350mA 7.35W				
Name	Small wall lamp 4 reflectors			Name	Small wall lamp 4 reflectors			Number	1				
Line	VIBIA-Set			Date	28-01-2014			Position	Universal				
Efficiency		55.78%		Coordinate system		CG		Total Flux		714.00 lm			
Luminance cd/m2				Table 1/3									
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	C 100.00	C 110.00	C 120.00
G 0.0	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28
G 5.0	3625.88	3628.80	3767.92	3888.72	4044.27	4138.11	4340.72	4419.63	4546.56	4580.23	4518.45	4456.67	4499.23
G 10.0	3493.29	3556.95	3849.15	4116.86	4404.16	4586.98	4911.83	5022.83	5223.61	5244.83	5182.80	5071.80	5140.36
G 15.0	3405.61	3628.11	4094.51	4539.16	4916.66	5173.26	5484.82	5554.59	5741.25	5675.36	5707.79	5575.63	5643.87
G 20.0	3395.84	3832.08	4470.19	5027.89	5465.85	5748.12	5975.65	5997.89	6133.04	5958.54	6083.43	5984.20	6047.50
G 25.0	3520.04	4127.57	4903.51	5428.44	5903.06	6137.20	6293.28	6324.17	6433.65	6199.75	6325.64	6327.49	6403.95
G 30.0	3682.84	4397.51	5253.25	5709.89	6144.26	6300.19	6417.13	6433.84	6556.35	6355.88	6504.38	6613.90	6708.57
G 35.0	3894.56	4538.73	5396.50	5875.69	6153.63	6264.88	6377.61	6267.55	6428.41	6369.90	6680.92	6836.68	6943.29
G 40.0	4165.61	4658.77	5447.82	5953.57	6087.88	6238.98	6377.48	6104.67	6251.57	6339.71	6788.79	6952.48	7111.97
G 45.0	4378.75	4914.45	5579.67	5984.02	6130.77	6437.39	6626.04	6260.65	6266.15	6396.89	6759.40	6933.29	7217.71
G 50.0	4696.78	5327.02	5834.71	6027.29	6224.86	6715.05	6980.15	6552.49	6374.92	6552.49	6752.56	6920.13	7235.25
G 55.0	5285.61	5865.75	6204.55	6159.75	6269.93	6841.21	7191.60	6678.57	6398.95	6758.52	6960.51	7078.42	7148.51
G 60.0	6050.93	6427.10	6584.64	6446.39	6414.24	6902.94	7211.60	6755.05	6407.81	6848.29	7185.88	7266.26	7076.56
G 65.0	6783.02	6875.41	6849.23	6934.64	6877.88	7091.12	7065.72	7029.74	6551.02	6626.89	7109.08	7242.64	7176.01
G 70.0	7318.28	7228.98	7144.37	7463.99	7482.79	7360.59	6885.86	7402.89	6777.76	6303.03	6899.96	7111.47	7318.28
G 75.0	7503.70	7604.50	7803.42	7779.63	7858.02	7582.77	6925.55	7627.49	6953.86	6326.06	6995.35	7175.36	7261.88
G 80.0	7767.19	8294.88	9100.30	8248.59	8220.82	7998.63	7526.49	7933.83	7202.47	6804.39	7535.75	7674.62	7396.89
G 85.0	10962.21	11629.34	13329.14	11763.46	11008.41	10871.43	10881.57	10467.25	9199.91	8996.64	9863.00	10411.03	10603.30
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire					Measurem.					Lamp			
Code	7753				Code	7753				Code	1 led 350mA 7.35W		
Name	Small wall lamp 4 reflectors				Name	Small wall lamp 4 reflectors				Number	1		
Line	VIBIA-Set				Date	28-01-2014				Position	Universal		
Efficiency		55.78%			Coordinate system		CG			Total Flux		714.00 lm	
Luminance cd/m2													
Table 2/3													
	C 130.00	C 140.00	C 150.00	C 160.00	C 170.00	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00
G 0.0	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28
G 5.0	4428.85	4245.46	4162.67	4070.87	3855.23	3765.41	3678.45	3718.37	3612.37	3628.67	3590.30	3856.79	3885.03
G 10.0	5035.89	4742.06	4608.20	4415.58	4038.50	3839.35	3676.12	3715.29	3574.91	3674.48	3653.26	3951.99	4009.12
G 15.0	5566.64	5283.60	5141.98	4835.81	4385.85	4055.05	3832.51	3813.85	3762.78	4051.02	4143.32	4590.99	4741.73
G 20.0	6030.39	5811.42	5626.66	5214.37	4721.67	4307.67	4028.82	3987.76	4107.51	4596.79	4868.79	5344.38	5547.96
G 25.0	6436.06	6260.53	5933.13	5402.01	4867.66	4475.37	4139.25	4209.51	4522.90	5117.59	5576.66	5866.67	5997.02
G 30.0	6732.70	6623.18	6177.67	5648.64	4926.55	4549.72	4221.16	4510.74	5019.36	5620.79	6172.11	6227.79	6225.94
G 35.0	6885.39	6906.03	6502.58	5971.00	5123.08	4568.45	4363.04	4906.45	5604.51	6148.60	6610.35	6581.70	6489.88
G 40.0	7042.72	7122.46	6816.07	6348.10	5386.97	4648.28	4541.25	5240.07	6138.25	6644.00	6923.10	6923.10	6824.47
G 45.0	7357.32	7286.57	6990.56	6660.89	5812.10	4916.95	4731.74	5361.63	6463.68	7012.75	7150.36	7204.44	7191.14
G 50.0	7640.40	7407.81	7130.21	6872.61	6367.42	5359.53	5084.43	5512.09	6657.53	7170.22	7257.75	7415.31	7487.84
G 55.0	7632.67	7495.55	7383.52	6981.42	6482.60	5899.59	5770.41	6024.72	6863.95	7058.29	7210.94	7563.24	7593.88
G 60.0	7497.75	7565.27	7629.57	7076.56	6488.19	6385.30	6600.72	6790.41	7115.14	6854.72	7156.94	7706.73	7517.04
G 65.0	7540.19	7639.31	7658.69	7277.87	6805.90	6635.16	7256.96	7549.36	7421.06	6839.08	7309.77	7928.50	7324.60
G 70.0	7689.60	7746.01	7553.30	7534.50	7355.89	6735.45	7774.21	8300.64	7854.11	7073.87	7623.80	8244.23	7163.18
G 75.0	7745.07	7969.12	7596.24	7766.61	7874.70	6947.24	8391.25	9199.68	8569.17	7597.23	7979.73	8679.49	7290.41
G 80.0	8100.47	8702.22	8304.14	8480.03	8757.76	7646.84	9572.44	10711.13	9859.43	8776.28	8776.28	9516.89	7998.63
G 85.0	11720.79	12772.68	12741.08	12944.40	12976.13	11169.24	14269.82	16035.89	14261.13	13461.96	13015.73	13189.94	11466.70
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire					Measur.					Lamp			
Code	7753				Code	7753				Code	1 led 350mA 7.35W		
Name	Small wall lamp 4 reflectors				Name	Small wall lamp 4 reflectors				Number	1		
Line	VIBIA-Set				Date	28-01-2014				Position	Universal		
Efficiency		55.78%			Coordinate system		CG			Total Flux		714.00 lm	
Luminance cd/m2 Table 3/3													
	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00	C 260.00	C 270.00	C 280.00	C 290.00	C 300.00
G 0.0	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28	3792.28
G 5.0	3765.41	3678.45	3718.37	3612.37	3628.67	3590.30	3856.79	3885.03	3975.40	3964.10	3956.84	3908.43	3888.26
G 10.0	3839.35	3676.12	3715.29	3574.91	3674.48	3653.26	3951.99	4009.12	4191.95	4169.09	4154.40	4056.46	4015.65
G 15.0	4055.05	3832.51	3813.85	3762.78	4051.02	4143.32	4590.99	4741.73	4984.16	4942.45	4931.05	4801.65	4619.05
G 20.0	4307.67	4028.82	3987.76	4107.51	4596.79	4868.79	5344.38	5547.96	5852.47	5777.20	5809.71	5719.04	5388.86
G 25.0	4475.37	4139.25	4209.51	4522.90	5117.59	5576.66	5866.67	5997.02	6381.37	6259.08	6393.82	6444.88	6064.42
G 30.0	4549.72	4221.16	4510.74	5019.36	5620.79	6172.11	6227.79	6225.94	6628.75	6498.81	6715.99	6884.91	6573.06
G 35.0	4568.45	4363.04	4906.45	5604.51	6148.60	6610.35	6581.70	6489.88	6765.81	6717.40	6912.44	7042.14	6900.98
G 40.0	4648.28	4541.25	5240.07	6138.25	6644.00	6923.10	6923.10	6824.47	6881.13	6948.28	7057.41	7086.79	7109.87
G 45.0	4916.95	4731.74	5361.63	6463.68	7012.75	7150.36	7204.44	7191.14	7027.82	7161.64	7202.28	7212.17	7267.52
G 50.0	5359.53	5084.43	5512.09	6657.53	7170.22	7257.75	7415.31	7487.84	7157.72	7277.76	7340.29	7385.30	7337.78
G 55.0	5899.59	5770.41	6024.72	6863.95	7058.29	7210.94	7563.24	7593.88	7188.90	7213.31	7443.80	7495.34	7261.08
G 60.0	6385.30	6600.72	6790.41	7115.14	6854.72	7156.94	7706.73	7517.04	7092.64	7047.63	7488.10	7449.52	7086.21
G 65.0	6635.16	7256.96	7549.36	7421.06	6839.08	7309.77	7928.50	7324.60	6864.13	6925.17	7452.20	7172.52	6911.87
G 70.0	6735.45	7774.21	8300.64	7854.11	7073.87	7623.80	8244.23	7163.18	6589.75	6890.56	7384.09	6834.16	6820.06
G 75.0	6947.24	8391.25	9199.68	8569.17	7597.23	7979.73	8679.49	7290.41	6453.17	6997.29	7411.46	6782.37	6944.94
G 80.0	7646.84	9572.44	10711.13	9859.43	8776.28	8776.28	9516.89	7998.63	6758.11	7554.27	7869.03	7248.76	7572.78
G 85.0	11169.24	14269.82	16035.89	14261.13	13461.96	13015.73	13189.94	11466.70	9668.02	10976.09	11067.81	9989.41	10956.93
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00